

Product Information Declaration

Tarkett Unicolour Weld Rod Range

Range Description

This Jacobsen Product Information Declaration (PID) applies to the accessories range sold by Jacobsen as Tarkett Unicolour Weld Rod

Identifiers

See individual sku codes under [identifiers](#)

Scope and Limitations of Intended Use

<input checked="" type="checkbox"/> Residential	<input checked="" type="checkbox"/> Commercial	<input checked="" type="checkbox"/> Interior	<input checked="" type="checkbox"/> Exterior
<input checked="" type="checkbox"/> High Traffic	<input checked="" type="checkbox"/> Low Traffic	<input checked="" type="checkbox"/> Exposed Sunlight	<input checked="" type="checkbox"/> Wet Areas
<input checked="" type="checkbox"/> Antistatic Environment	<input checked="" type="checkbox"/> Food Prep Areas	<input checked="" type="checkbox"/> Clean Room	<input checked="" type="checkbox"/> With Wheels
<input checked="" type="checkbox"/> Ramp/Entry	<input checked="" type="checkbox"/> Under-Floor Heating	<input checked="" type="checkbox"/> Over Existing Floor	

B Stability

Relevant NZBC Clause	Product Performance
B2.3.1(c)	-
Residential	-
Commercial	-
Industrial	-

C Protection from Fire

Relevant NZBC Clause	Product Performance
C4.3	
C4.3 (a) Wall	-
C4.3 (b) Floor	-

D Access

Relevant NZBC Clause	Product Performance
D1.3.3	
Level Surface (Wet)	-
Level Surface (Dry)	-
Suitable for food prep	-

E Moisture

Relevant NZBC Clause	Product Performance
E3.3.3	Impervious and easily cleaned
E3.3.5	Impervious and easily cleaned
E3.3.6	Water resistant
NZBC/AS1	-

F Safety of Users

Relevant NZBC Clause	Product Performance
F2.3.1	-
	-
	Phthalate-free
Indoor Air Quality	-

G Services and Facilities

Relevant NZBC Clause	Product Performance
G3.3.2 (b)	Water resistant
G6.3.2	-

H Energy Efficiency

Relevant NZBC Clause	Product Performance
Thermal Rating	-

X Warnings and Bans

Building Act 2004	Product Performance
Section 26	-

Supporting Documents

All supporting documents can be found on the Jacobsen website, jacobsen.co.nz or by this QR code



Product Information Declaration

Tarkett Unicolour Weld Rod Range

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

- (c)
5 years if:
1. the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and
 2. failure of those building elements to comply with the building code would be easily detected during normal use of the building.

C3.4

Surface Linings

(b)

floor surface materials in the following areas of buildings must meet the performance criteria specified below:

D1.3.3

Access routes shall:

(d)

have adequate slip-resistant walking surfaces under all conditions of normal use.

E3.3.3

Floor surfaces of any space containing sanitary fixtures or sanitary appliances must be impervious and easily cleaned.

E3.3.5

Surfaces of building elements likely to be splashed or become contaminated in the course of the intended use of the building, must be impervious and easily cleaned.

E3.3.6

Surfaces of building elements likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into concealed spaces.

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G3.3.2

Spaces for food preparation and utensil washing shall have:

(b)

all building elements constructed with materials which are free from hazardous substances which could cause contamination to the building contents

G6.3.1

The Sound Transmission Class of walls, floors and ceilings, shall be no less than 55.

G6.3.2

The Impact Insulation Class of floors shall be no less than 55.

H1

This clause requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings.

Note

It is expected that Tarkett Unicolour Weld Rod is installed, cleaned and maintained according to instructions and best practice guides housed on the product page.

All products may be subject to fading if exposed to excessive, unfiltered UV light.

Product Information Declaration

Tarkett Unicolour Weld Rod Range

Identifiers

This JPID covers all colours from Tarkett Unicolour Weld Rod including:

1294071 13600	1291368 Yellow Brown 19112
87380 Brown 13346	285172 Sky Blue 13173
89057 Red 13442	24806162 13170
1288344 13429	1287853 Beige 13139
24806144 22242	1287847 13138
1287779 19121	1287843 Black 13137
0832 Dark Grey 22252	1287830 13136
87344 13338	1287781 13134
87594 13392	1288332 Yellow 22933
1287777 Brown 13133	1287859 Green 22976
1287770 Light Grey 13132	1287857 Light Purple 21488
1287728 White Grey 13130	1287852 Beige 22190
1287713 Grey 13129	1287730 Grey 22266
1287697 White 13128	1287680 Medium Brown 22220
1287580 Blue 13121	1287517 Orange 22942
1287526 13118	1285206 Omnisport50mm Black40
1287446 Light Grey 13113	Mcoil 22615
24806161 Super white 13169	0437 Grey Beige 22258
24806158 13168	24806159 Dark Aqua 20978
24806156 13167	1287864 Purple 21300
24806152 Grey 13166	1287727 Blue 21154
24806151 Yellow 13165	Grey Green1287677 23159
24806150 13164	Uni Coloured 24806115 Silver0115
24806142 Yellow 13163	22561
87281 Dark Blue 13301	1291367 22415
90011 White 13469	1285365 Omnisport 5.0mm Mint Green
1287174 Hazelwood 13112	40M coil 21198
1285172 Blue 13110	Grey Brown 1287537 13180
24806137 13162	1287675 Brown 13127
24806133 White 13161	White Contrast 0530 21475
24806132 White Blue 13160	1287860 Green 0860 22789
24806127 13158	1287858 Blue0858 22788
24806126 TISSE- Grey 13157	1287855 Light Yellow0855 22787
24806124 White 13156	1287851 Old Brick0851 22786
24806116 13154	1287845 Grey0845 22785
24806090 Light Grey 13153	1287518 Green 23097
1294701 Grey 13616	1285363 Beige0363 22807
806005 13189	85363 Omnisport 5.0mm Beech 40M
1287591 13181	coil 13227
1292771 Warm Grey 13147	24806149 Light Grey 21861
1291845 Black 13517	1290203 Mid Warm Grey 22183
1290373 Light Grey 13146	1287865 Blue 22957
1287929 Deep Blue 13145	1287199 Beige 13273
1287927 Night Blue 13144	Light Being Grey 0524 21513
1287889 13143	Dark Beige 0690 21974
1287885 Purple 13142	24806157 20811
1287868 Red 13141	24806155 Uni Warm Grey 21139
1287861 Grey 13140	24806153 Med Grey2 C R 22896
24806117 19097	

Jacobsen®

Jacobsen 41D Morrin Road,
St Johns, 1072
0800 800 460
jacobsen.co.nz
sales@jacobsen.co.nz

NZBN:
9429040403328

Tarkett

Product Manufacturer: -
Country of Origin: -