Product Information Declaration

Shaw Contract Fault Range

Range Description

This Jacobsen Product Information Declaration (PID) applies to the carpet range sold by Jacobsen as Shaw Contract Fault

Identifiers

See individual sku codes under identifiers

Scope and Limitations of Intended Use

<u> </u>	Residential	
<u> </u>	High Traffic	

Antistatic Environment

Commercial **Low Traffic** Food Prep Areas **Under Floor Heating** Interior **Exposed Sunlight** Clean Room

Exterior Wet Areas With Wheels

Over Existing Floor

Stability

X Ramp/Entry

Relevant NZBC Clause	Product Performance	
B2.3.1(c)	5 Year Commercial Limited Warranty	
Residential	-	
Commercial	Heavy Duty	
Industrial	-	

Protection from Fire

Relevant NZBC Clause	Product Performance
C4.3	
C4.3 (a) Wall	-
C4.3 (b) Floor	40oz - Not tested

Access

Relevant NZBC Clause	Product Performance	
D1.3.3		
Level Surface (Wet)	-	
Level Surface (Dry)	Acceptable Solution	
Suitable for food prep	-	

Moisture

Relevant NZBC Clause	Product Performance
E3.3.3	Impervious and easily cleaned
E3.3.5	Impervious and easily cleaned
E3.3.6	Water resistant
NZBC/AS1	-

Safety of Users

Relevant NZBC Clause	Product Performance	
F2.3.1	≤0.5 mg/m3	
	-	
	Phthalate-free	
Indoor Air Quality	Optimal	

Services and Facilities

Relevant NZBC Clause	Product Performance
G3.3.2 (b)	Water resistant
G6.3.2	-

Energy Efficiency

Relevant NZBC Clause	Product Performance	
Thermal Rating	Not tested	

X

Warnings and Bans

Building Act 2004	Product Performance
Section 26	-

Supporting Documents

All supporting documents can be found on the Jacobsen website, jacobsen.co.nz or by this QR code



Page 1 of 3 V:090524

Product Information Declaration Shaw Contract Fault Range

B2 3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

(c)

5 years if:

- 1. the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and
- 2. failure of those building elements to comply with the building code would be easily detected during normal use of the building.

C3.4

Surface Linings

(b)

floor surface materials in the following areas of buildings must meet the performance criteria specified below:

D1.3.3

Access routes shall:

(d)

have adequate slip-resistant walking surfaces under all conditions of normal use.

E3.3.3

Floor surfaces of any space containing sanitary fixtures or sanitary appliances must be impervious and easily cleaned.

E3.3.5

Surfaces of building elements likely to be splashed or become contaminated in the course of the intended use of the building, must be impervious and easily cleaned.

E3.3.6

Surfaces of building elements likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into concealed spaces.

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G3.3.2

Spaces for food preparation and utensil washing shall have:

(b)

all building elements constructed with materials which are free from hazardous substances which could cause contamination to the building contents

G6.3.1

The Sound Transmission Class of walls, floors and ceilings, shall be no less than FF

G6.3.2

The Impact Insulation Class of floors shall be no less than 55.

H1

This clause requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings.

Note

It is expected that **Shaw Contract Fault** is installed, cleaned and maintained according to instructions and best practice guides housed on the product page.

All products may be subject to fading if exposed to excessive, unfiltered UV light.

Page 2 of 3 V:090524

Product Information Declaration Shaw Contract Fault Range

Identifiers

This JPID covers all colours from Shaw Contract Fault including:

Cornerstone Copper 11 ft Circle R012G-20555 Forge Platinum 11 ft Circle R012G-20518 Element Platinum 11 ft Circle R012G-20506 Alabaster Gold 11 ft Circle R012G-20111 Carrara Silver 11 ft Circle R012G-20100 Alabaster Gold 8 X 10 ft Rectangle R010G-20111 Carrara Silver 8 X 10 ft Rectangle R010G-20100 Cornerstone Copper 6 X 9 ft Rectangle R009G-20555 Forge Platinum 6 X 9 ft Rectangle R009G-20518 Element Platinum 6 X 9 ft Rectangle R009G-20506

Alabaster Gold 6 X 9 ft Rectangle R009G-20111 Cornerstone Copper 12 x 15 ft Rectangle R011G-20555 Forge Platinum 12 x 15 ft Rectangle R011G-20518 Element Platinum 12 x 15 ft Rectangle R011G-20506 Alabaster Gold 12 x 15 ft Rectangle R011G-20111 Carrara Silver 12 x 15 ft Rectangle R011G-20100 Carrara Silver 6 X 9 ft Rectangle R009G-20100 Cornerstone Copper 8 X 10 ft Rectangle R010G-20555 Forge Platinum 8 X 10 ft Rectangle R010G-20518 Element Platinum 8 X 10 ft Rectangle R010G-20506

Sustainability

Rating System	Rating	Product Performance
Green Star Design &	Credit 12	1 Point
As Built NZ (V1)	Credit 20	1 Point
	Credit 21	-
Green Star	Credit 13	1 Point
Interiors NZ (V1)	Credit 20	1 Point
	Credit 21	-
Green Star Performance NZ (V1)	Credit 21	-
Homestar V5	HC 7	1 Point
	EN 3	-
Homestar V4	Mat-1	-
	Mat-2	1 Point
Environmental Product Deceleration (EPD)		-
Embodied Carbon Emission Data		-

Environmental Credentials





Jacobsen[®]

Jacobsen 41D Morrin Road, St Johns, 1072 0800 800 460 jacobsen.co.nz sales@jacoben.co.nz

NZBN:

9429040403328

ShawContract®

Product Manufacturer: Shaw Contract
Country of Origin: United States of America

Page 3 of 3 V:090524