Product Information Declaration

Shaw Contract Stone Range

Range Description

This Jacobsen Product Information Declaration (PID) applies to the carpet range sold by Jacobsen as **Shaw Contract Stone**

Identifiers

See individual sku codes under identifiers

Scope and Limitations of Intended Use

×	Residential	 /	Commercial
/	High Traffic	×	Low Traffic
×	Antiototic Environment	 	Food Prop Aroos

X Under Floor Heating

✓ Interior
✓ Exposed Sunlight

Over Existing Floor

ight

Exterior

X Wet Areas

X With Wheels

R

Stability

X Ramp/Entry

Relevant NZBC Clause	Product Performance		
B2.3.1(c)	5 Year Commercial Limited Warranty		
Residential	-		
Commercial	Heavy Duty		
Industrial	-		

Protection from Fire

Relevant NZBC Clause	Product Performance
C3.4	
C3.4 (a) Wall	-
C3.4 (b) Floor	-

D

Access

Relevant NZBC Clause	Product Performance		
D1.3.3			
Level Surface (Wet)	-		
Level Surface (Dry)	Acceptable Solution		
Suitable for food prep	-		

F

Moisture

Relevant NZBC Clause	Product Performance		
E3.3.3	Impervious and easily cleaned		
E3.3.5	Impervious and easily cleaned		
E3.3.6	Water resistant		
NZBC/AS1	-		

F

Safety of Users

Relevant NZBC Clause	Product Performance		
F2.3.1	≤0.5 mg/m3		
	-		
	Phthalate-free		
Indoor Air Quality	Optimal		

G

Services and Facilities

Relevant NZBC Clause	Product Performance	
G3.3.2 (b)	Water resistant	
G6.3.2	-	

Н

Energy Efficiency

Relevant NZBC Clause	Product Performance	
Thermal Rating	Not tested	

X

Warnings and Bans

Building Act 2004	Product Performance	
Section 26	_	

Supporting Documents

All supporting documents can be found on the Jacobsen website, <u>jacobsen.co.nz</u> or by this QR code



Page 1 of 3 V:250824

Product Information Declaration Shaw Contract Stone Range

B2 3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

(c)

5 years if:

- 1. the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and
- 2. failure of those building elements to comply with the building code would be easily detected during normal use of the building.

C3.4

Surface Linings

(b)

floor surface materials in the following areas of buildings must meet the performance criteria specified below:

D1.3.3

Access routes shall:

(d)

have adequate slip-resistant walking surfaces under all conditions of normal use.

E3.3.3

Floor surfaces of any space containing sanitary fixtures or sanitary appliances must be impervious and easily cleaned.

E3.3.5

Surfaces of building elements likely to be splashed or become contaminated in the course of the intended use of the building, must be impervious and easily cleaned.

E3.3.6

Surfaces of building elements likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into concealed spaces.

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G3.3.2

Spaces for food preparation and utensil washing shall have:

(b

all building elements constructed with materials which are free from hazardous substances which could cause contamination to the building contents

G6.3.1

The Sound Transmission Class of walls, floors and ceilings, shall be no less than FF

G6.3.2

The Impact Insulation Class of floors shall be no less than 55.

H1

This clause requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings.

Note

It is expected that **Shaw Contract Stone** is installed, cleaned and maintained according to instructions and best practice guides housed on the product page.

All products may be subject to fading if exposed to excessive, unfiltered UV light.

Page 2 of 3 V:250824

Product Information Declaration Shaw Contract Stone Range

Identifiers

G277R-55580

This JPID covers all colours from Shaw Contract Stone including:

Granite Circle 12 X 15 ft G278R-55105 Marble 6 X 9 ft Rectangle G276R-55100 Marble Circle 11 X 11 ft G279R-55100 Marble 8 X 9 ft Rectangle G277R-55100 Slate Circle 12 X 15 ft G278R-55518 Marble Circle 12 X 15 ft G278R-55100 Graphite 6 X 9 ft Rectangle G276R-55580 Graphite Circle 11 X 11 ft G279R-55580 Graphite 8 X 9 ft Rectangle

Granite 8 X 9 ft Rectangle G277R-55105 Graphite Circle 12 X 15 ft G278R-55580 Slate 6 X 9 ft Rectangle G276R-55518 Slate Circle 11 X 11 ft G279R-55518 Slate 8 X 9 ft Rectangle G277R-55518 Pebble 6 X 9 ft Rectangle G276R-55111 Pebble Circle 11 X 11 ft G279R-55111 Pebble 8 X 9 ft Rectangle G277R-55111 Pebble Circle 12 X 15 ft G278R-55111 Granite 6 X 9 ft Rectangle G276R-55105 Granite Circle 11 X 11 ft G279R-55105

Sustainability

Rating System	Rating	Product Performance
Green Star Design &	Credit 12	1 Point
As Built NZ (V1)	Credit 20	1 Point
	Credit 21	-
Green Star	Credit 13	1 Point
Interiors NZ (V1)	Credit 20	1 Point
	Credit 21	-
Green Star Performance NZ (V1)	Credit 21	-
Homestar V5	HC 7	1 Point
	EN 3	-
Homestar V4	Mat-1	-
	Mat-2	1 Point
Environmental Product De	-	
Embodied Carbon Emission	-	

Environmental Credentials





Jacobsen[®]

Jacobsen 41D Morrin Road, St Johns, 1072 0800 800 460 jacobsen.co.nz sales@jacobsen.co.nz

NZBN:

9429040403328

ShawContract®

Product Manufacturer: Shaw Contract Country of Origin: United States of America

Page 3 of 3 V:250824