Jacobsen®

Product Information Declaration

Shaw Contract Verve Range

Range Description

This Jacobsen Product Information Declaration (PID) applies to the carpet range sold by Jacobsen as Shaw Contract Verve

Identifiers

See individual sku codes under identifiers

Scope and Limitations of Intended Use

X	Residential

High Traffic **Antistatic Environment**

Ramp/Entry

Commercial

Low Traffic

X Food Prep Areas

Under Floor Heating

Interior

Exposed Sunlight

X Clean Room

Over Existing Floor

Exterior

Wet Areas

With Wheels

B

Stability

Relevant NZBC Clause **Product Performance** B2.3.1(c) 5 Year Commercial Limited Warranty Residential Commercial **Heavy Duty** Industrial

Protection from Fire

Relevant NZBC Clause **Product Performance** C4.3 C4.3 (a) Wall C4.3 (b) Floor

Access

Relevant NZBC Clause **Product Performance** D1.3.3 Level Surface (Wet) Level Surface (Dry) Acceptable Solution Suitable for food prep

Е

Moisture

Relevant NZBC Clause **Product Performance** E3.3.3 Impervious and easily cleaned E3.3.5 Impervious and easily cleaned E3.3.6 Water resistant NZBC/AS1

F

Safety of Users

Relevant NZBC Clause **Product Performance** F2.3.1 ≤0.5 mg/m3 Phthalate-free Indoor Air Quality Optimal

G

Services and Facilities

Relevant NZBC Clause **Product Performance** G3.3.2 (b) Water resistant G6.3.2

Н

Energy Efficiency

Relevant NZBC Clause **Product Performance** Thermal Rating Not tested

X

Warnings and Bans

Building Act 2004 Product Performance Section 26

Supporting Documents

All supporting documents can be found on the Jacobsen website, jacobsen.co.nz or by this QR code



Page 1 of 3 V:210524

Product Information Declaration Shaw Contract Verve Range

B2 3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

(c)

5 years if:

- 1. the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and
- 2. failure of those building elements to comply with the building code would be easily detected during normal use of the building.

C3.4

Surface Linings

(b)

floor surface materials in the following areas of buildings must meet the performance criteria specified below:

D1.3.3

Access routes shall:

(d)

have adequate slip-resistant walking surfaces under all conditions of normal use.

E3.3.3

Floor surfaces of any space containing sanitary fixtures or sanitary appliances must be impervious and easily cleaned.

E3.3.5

Surfaces of building elements likely to be splashed or become contaminated in the course of the intended use of the building, must be impervious and easily cleaned.

E3.3.6

Surfaces of building elements likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into concealed spaces.

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G3.3.2

Spaces for food preparation and utensil washing shall have:

(b

all building elements constructed with materials which are free from hazardous substances which could cause contamination to the building contents

G6.3.1

The Sound Transmission Class of walls, floors and ceilings, shall be no less than FF

G6.3.2

The Impact Insulation Class of floors shall be no less than 55.

H1

This clause requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings.

Note

It is expected that **Shaw Contract Verve** is installed, cleaned and maintained according to instructions and best practice guides housed on the product page.

All products may be subject to fading if exposed to excessive, unfiltered UV light.

Page 2 of 3 V:210524

Product Information Declaration Shaw Contract Verve Range

Identifiers

This JPID covers all colours from Shaw Contract Verve including:

Fervor 6 X 9 ft Rectangle G240R-52761 Fervor Circle 11 X 11 ft G243R-52761 Fervor 8 X 9 ft Rectangle G241R-52761 Fervor Circle 12 X 15 ft G242R-52761 Flair 6 X 9 ft Rectangle G240R-52675 Flair Circle 11 X 11 ft G243R-52675 Flair 8 X 9 ft Rectangle G241R-52675 Flair Circle 12 X 15 ft G242R-52675 Brio 6 X 9 ft Rectangle G240R-52485 Brio Circle 11 X 11 ft G243R-52485 Brio 8 X 9 ft Rectangle G241R-52485 Brio Circle 12 X 15 ft G242R-52485 Vibrance 6 X 9 ft Rectangle G240R-52327 Vibrance Circle 11 X 11 ft G243R-52327 Vibrance 8 X 9 ft Rectangle G241R-52327 Vibrance Circle 12 X 15 ft G242R-52327

Sustainability

Rating System	Rating	Product Performance
Green Star Design &	Credit 12	1 Point
As Built NZ (V1)	Credit 20	1 Point
	Credit 21	-
Green Star	Credit 13	1 Point
Interiors NZ (V1)	Credit 20	1 Point
	Credit 21	-
Green Star Performance NZ (V1)	Credit 21	-
Homestar V5	HC 7	1 Point
	EN 3	-
Homestar V4	Mat-1	-
	Mat-2	1 Point
Environmental Product Dec	-	
Embodied Carbon Emission	-	

Environmental Credentials





Jacobsen[®]

Jacobsen 41 D Morrin Road, St Johns, 1072 0800 800 460 jacobsen.co.nz sales@jacoben.co.nz

NZBN:

9429040403328

ShawContract®

Product Manufacturer: Shaw Contract Country of Origin: United States of America

Page 3 of 3 V:210524