

Product Information Declaration

Vogue Interni Range

Range Description

This Jacobsen Product Information Declaration (PID) applies to the ceramic & porcelain tiles range sold by Jacobsen as Vogue Interni

Identifiers

See individual sku codes under [identifiers](#)

Scope and Limitations of Intended Use

|                          |                       |                       |               |
|--------------------------|-----------------------|-----------------------|---------------|
| ✓ Residential            | ✓ Commercial          | ✓ Interior            | ✗ Exterior    |
| ✓ High Traffic           | ✗ Low Traffic         | ✓ Exposed Sunlight    | ✓ Wet Areas   |
| ✗ Antistatic Environment | ✗ Food Prep Areas     | ✗ Clean Room          | ✓ With Wheels |
| ✗ Ramp/Entry             | ✓ Under Floor Heating | ✗ Over Existing Floor |               |

B

Stability

| Relevant NZBC Clause | Product Performance |
|----------------------|---------------------|
| B2.3.1(c)            | 10 Years            |
| Residential          | Suitable            |
| Commercial           | Suitable            |
| Industrial           | -                   |

C

Protection from Fire

| Relevant NZBC Clause | Product Performance      |
|----------------------|--------------------------|
| C4.3                 |                          |
| C4.3 (a) Wall        | Naturally Fire Resistant |
| C4.3 (b) Floor       | Naturally Fire Resistant |

D

Access

| Relevant NZBC Clause   | Product Performance |
|------------------------|---------------------|
| D1.3.3                 |                     |
| Level Surface (Wet)    | -                   |
| Level Surface (Dry)    | Acceptable Solution |
| Suitable for food prep | -                   |

E

Moisture

| Relevant NZBC Clause | Product Performance           |
|----------------------|-------------------------------|
| E3.3.3               | Impervious and easily cleaned |
| E3.3.5               | Impervious and easily cleaned |
| E3.3.6               | Water resistant               |
| NZBC/AS1             | -                             |

F

Safety of Users

| Relevant NZBC Clause | Product Performance                 |
|----------------------|-------------------------------------|
| F2.3.1               | No VOC's                            |
|                      | Does not encourage bacterial growth |
|                      | Phthalate-free                      |
| Indoor Air Quality   | Optimal                             |

G

Services and Facilities

| Relevant NZBC Clause | Product Performance |
|----------------------|---------------------|
| G3.3.2 (b)           | Water resistant     |
| G6.3.2               | -                   |

H

Energy Efficiency

| Relevant NZBC Clause | Product Performance |
|----------------------|---------------------|
| Thermal Rating       | Pass                |

X

Warnings and Bans

| Building Act 2004 | Product Performance |
|-------------------|---------------------|
| Section 26        | -                   |

Supporting Documents

All supporting documents can be found on the Jacobsen website, [jacobsen.co.nz](#) or by this QR code



# Product Information Declaration

## Vogue Interni Range

---

### B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

- (c)  
5 years if:
1. the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and
  2. failure of those building elements to comply with the building code would be easily detected during normal use of the building.

### C3.4

Surface Linings

#### (b)

floor surface materials in the following areas of buildings must meet the performance criteria specified below:

### D1.3.3

Access routes shall:

#### (d)

have adequate slip-resistant walking surfaces under all conditions of normal use.

### E3.3.3

Floor surfaces of any space containing sanitary fixtures or sanitary appliances must be impervious and easily cleaned.

### E3.3.5

Surfaces of building elements likely to be splashed or become contaminated in the course of the intended use of the building, must be impervious and easily cleaned.

### E3.3.6

Surfaces of building elements likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into concealed spaces.

### F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

### G3.3.2

Spaces for food preparation and utensil washing shall have:

#### (b)

all building elements constructed with materials which are free from hazardous substances which could cause contamination to the building contents

### G6.3.1

The Sound Transmission Class of walls, floors and ceilings, shall be no less than 55.

### G6.3.2

The Impact Insulation Class of floors shall be no less than 55.

### H1

This clause requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings.

---

## Note

It is expected that **Vogue Interni** is installed, cleaned and maintained according to instructions and best practice guides housed on the product page.

All products may be subject to fading if exposed to excessive, unfiltered UV light.

# Product Information Declaration

## Vogue Interni Range

### Identifiers

This JPID covers all colours from Vogue Interni including:

|                                      |                                  |
|--------------------------------------|----------------------------------|
| Turchese 200mm x 200mm 15916         | Lilla 200mm x 200mm 15904        |
| Tortora 200mm x 200mm EINTortora     | Lavanda 200mm x 200mm EINLavanda |
| Seta 200mm x 200mm 15914             | Latte 200mm x 200mm 15903        |
| Senape 200mm x 200mm EINSenape       | Laguna 200mm x 200mm 15902       |
| Rosso 200mm x 200mm 15913            | Giada 200mm x 200mm 15899        |
| Rosa 200mm x 200mm 15912             | Ghiaccio 200mm x 200mm 15898     |
| Pistacchio 200mm x 200mm 15911       | Ferro 200mm x 200mm 15897        |
| Petrolio 200mm x 200mm EINPetrolio   | Cobalto 200mm x 200mm 15896      |
| Perla 200mm x 200mm 15910            | Cipria 200mm x 200mm EINCipria   |
| Nero 200mm x 200mm 15907             | Cielo 200mm x 200mm 15895        |
| Mattone 200mm x 200mm EINMattone     | Ceruleo 200mm x 200mm EINCeruleo |
| Mastice 200mm x 200mm EINMastice     | Cedro 200mm x 200mm 15894        |
| Mandarino 200mm x 200mm 15905        | Caffe 200mm x 200mm 15893        |
| Malachite 200mm x 200mm EINMalachite | Blu Avio 200mm x 200mm 15891     |
| Grigio 200mm x 200mm 15901           | Beige 200mm x 200mm 15890        |
| Granata 200mm x 200mm 19045          | Azzurro 200mm x 200mm 15889      |
| Giallo 200mm x 200mm 15900           | Argento 200mm x 200mm 15888      |

### Sustainability

| Rating System                            | Rating    | Product Performance               |
|--|-----------|-----------------------------------|
| Green Star Design & As Built NZ (V1)     | Credit 12 | -                                 |
|  | Credit 20 | 1 Point                           |
|  | Credit 21 | Sustainability Factor (SF) = 0.75 |
| Green Star Interiors NZ (V1)             | Credit 13 | -                                 |
|  | Credit 20 | 1 Point                           |
|  | Credit 21 | Sustainability Factor (SF) = 0.75 |
| Green Star Performance NZ (V1)           | Credit 21 | 1 Point                           |
|  |           |                                   |
| Homestar V5                              | HC 7      | 1 Point                           |
|  | EN 3      | 1.5 Points                        |
| Homestar V4                              | Mat-1     | 2 Point                           |
|  | Mat-2     | 1 Point                           |
| Environmental Product Deceleration (EPD) |           | Yes                               |
| Embodied Carbon Emission Data            |           | 10.5 kgCO2e / m2 (Cradle to Gate) |

### Environmental Credentials



Ceramica  
VOGUE

Product Manufacturer: **Vouge**  
Country of Origin: Italy

# Jacobsen®

Jacobsen 41D Morrin Road,  
St Johns, 1072  
0800 800 460  
[jacobsen.co.nz](http://jacobsen.co.nz)  
[sales@jacoben.co.nz](mailto:sales@jacoben.co.nz)

NZBN:  
9429040403328