Jacobsen[®]

Product Information Declaration Vogue Interni Range

Range Description

This Jacobsen Product Information Declaration (PID) applies to the ceramic & porcelain tiles range sold by Jacobsen as Vogue Interni

Scope and Limitations of Intended Use

~	Residential

X Ramp/Entry

- High Traffic
- Antistatic Environment
- Х Low Traffic Х Food Prep Areas

Commercial

1

- ~ **Under Floor Heating**
- Interior Exposed Sunlight 1 Х Clean Room

Identifiers

Over Existing Floor

See individual sku codes under identifiers

- Х Exterior
- Wet Areas
- With Wheels

B

Х

Stability

Relevant NZBC Clause	Product Performance
B2.3.1(c)	10 Years
Residential	Suitable
Commercial	Suitable
Industrial	_

С **Protection from Fire**

Relevant NZBC Clause	Product Performance
C4.3	
C4.3 (a) Wall	Naturally Fire Resistant
C4.3 (b) Floor	Naturally Fire Resistant

Х

D Access

Relevant NZBC Clause	Product Performance
D1.3.3	
Level Surface (Wet)	-
Level Surface (Dry)	Acceptable Solution
Suitable for food prep	-

Ε

Moisture

Relevant NZBC Clause	Product Performance
E3.3.3	Impervious and easily cleaned
E3.3.5	Impervious and easily cleaned
E3.3.6	Water resistant
NZBC/AS1	-

F

Safety of Users

Relevant NZBC Clause	Product Performance
F2.3.1	No VOC's
	Does not encourage bacterial growth
_	Phthalate-free
Indoor Air Quality	Optimal

G **Services and Facilities**

Relevant NZBC Clause	Product Performance
G3.3.2 (b)	Water resistant
G6.3.2	-

Н **Energy Efficiency**

Relevant NZBC Clause	Product Performance
----------------------	---------------------

Pass

Thermal Rating

Χ **Warnings and Bans**

Building Act 2004 Product Performance Section 26

Supporting Documents

All supporting documents can be found on the Jacobsen website, jacobsen.co.nz or by this QR code



Product Information Declaration Vogue Interni Range

B2 3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

(c)

5 years if: 1. the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and

2. failure of those building elements to comply with the building code would be easily detected during normal use of the building.

C3.4

Surface Linings

(b)

floor surface materials in the following areas of buildings must meet the performance criteria specified below:

D1.3.3

Access routes shall:

(d)

have adequate slip-resistant walking surfaces under all conditions of normal use.

E3.3.3

Floor surfaces of any space containing sanitary fixtures or sanitary appliances must be impervious and easily cleaned.

E3.3.5

Surfaces of building elements likely to be splashed or become contaminated in the course of the intended use of the building, must be impervious and easily cleaned.

E3.3.6

Surfaces of building elements likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into concealed spaces.

Note

It is expected that **Vogue Interni** is installed, cleaned and maintained according to instructions and best practice guides housed on the product page.

All products may be subject to fading if exposed to excessive, unfiltered UV light.

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G3.3.2

Spaces for food preparation and utensil washing shall have:

(b)

all building elements constructed with materials which are free from hazardous substances which could cause contamination to the building contents

G6.3.1

The Sound Transmission Class of walls, floors and ceilings, shall be no less than 55.

G6.3.2

The Impact Insulation Class of floors shall be no less than 55.

H1

This clause requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings.

Product Information Declaration Vogue Interni Range

Identifiers

This JPID covers all colours from Vogue Interni including:

Turchese 200mm x 200mm 15916 Tortora 200mm x 200mm EINTortora Seta 200mm x 200mm 15914 Senape 200mm x 200mm EINSenape Rosso 200mm x 200mm 15913 Rosa 200mm x 200mm 15912 Pistacchio 200mm x 200mm 15911 Petrolio 200mm x 200mm EINPetrolio Perla 200mm x 200mm 15910 Nero 200mm x 200mm 15907 Mattone 200mm x 200mm EINMattone Mastice 200mm x 200mm EINMastice Mandarino 200mm x 200mm 15905 Malachite 200mm x 200mm EINMalachite Grigio 200mm x 200mm 15901 Granata 200mm x 200mm 19045 Giallo 200mm x 200mm 15900

Lilla 200mm x 200mm 15904 Lavanda 200mm x 200mm EINLavanda Latte 200mm x 200mm 15903 Laguna 200mm x 200mm 15902 Giada 200mm x 200mm 15899 Ghiaccio 200mm x 200mm 15898 Ferro 200mm x 200mm 15897 Cobalto 200mm x 200mm 15896 Cipria 200mm x 200mm EINCipria Cielo 200mm x 200mm 15895 Ceruleo 200mm x 200mm EINCeruleo Cedro 200mm x 200mm 15894 Caffe 200mm x 200mm 15893 Blu Avio 200mm x 200mm 15891 Beige 200mm x 200mm 15890 Azzurro 200mm x 200mm 15889 Argento 200mm x 200mm 15888

Sustainability

Rating System	Rating	Product Performance
Green Star Design &	Credit 12	-
As Built NZ (V1)	Credit 20	1 Point
	Credit 21	Sustainability Factor (SF) = 0.75
Green Star	Credit 13	-
Interiors NZ (V1)	Credit 20	1 Point
	Credit 21	Sustainability Factor (SF) = 0.75
Green Star Performance NZ (V1)	Credit 21	1 Point
Homestar V5	HC 7	1 Point
	EN 3	1.5 Points
Homestar V4	Mat-1	2 Point
	Mat-2	1 Point
Environmental Product Deceleration (EPD)		Yes
Embodied Carbon Emission Data		10.5 kgCO2e / m2 (Cradle to Gate)

Environmental Credentials



Jacobsen®

Jacobsen 41D Morrin Road, St Johns, 1072 0800 800 460 jacobsen.co.nz sales@jacoben.co.nz

NZBN: 9429040403328 VOGUE

Product Manufacturer: **Vouge** Country of Origin: Italy