Jacobsen®

Product Information Declaration

Tarkett Mesto Configurations Range

Range Description

This Jacobsen Product Information Declaration (PID) applies to the rubber range sold by Jacobsen as **Tarkett Mesto Configurations**

Identifiers

See individual sku codes under identifiers

Scope and Limitations of Intended Use

✓ Residential	✓ Commercial	✓ Interior	✗ ~~Exterior~~
✓ High Traffic	✗ ~~Low Traffic~~	✓ Exposed Sunlight	✗ ~~Wet Areas~~
✗ ~~Antistatic Environment~~	✗ ~~Food Prep Areas~~	✗ ~~Clean Room~~	✓ With Wheels
✗ ~~Ramp/Entry~~	✗ ~~Under Floor Heating~~	✗ ~~Over Existing Floor~~	

B
Stability

Relevant NZBC Clause	Product Performance
B2.3.1(c)	5 Years Commercial Limited
Residential	-
Commercial	Heavy Duty
Industrial	-

C
Protection from Fire

Relevant NZBC Clause	Product Performance
C3.4	
C3.4 (a) Wall	-
C3.4 (b) Floor	>11 kW/m2 (ISO 9239.1:2010)

D
Access

Relevant NZBC Clause	Product Performance
D1.3.3	
Level Surface (Wet)	-
Level Surface (Dry)	ASTM D2047 - SCOF > 0.8
Suitable for food prep	-

E
Moisture

Relevant NZBC Clause	Product Performance
E3.3.3	Impervious and easily cleaned
E3.3.5	Impervious and easily cleaned
E3.3.6	Water resistant
NZBC/AS1	-

F
Safety of Users

Relevant NZBC Clause	Product Performance
F2.3.1	≤ 500 µg / m^3
	Does not encourage bacterial growth
	Phthalate-free
Indoor Air Quality	Optimal

G
Services and Facilities

Relevant NZBC Clause	Product Performance
G3.3.2 (b)	Water resistant
G6.3.2	-

H
Energy Efficiency

Relevant NZBC Clause	Product Performance
Thermal Rating	ΔE ≤ 8.0 (ASTM F1514)

X
Warnings and Bans

Building Act 2004	Product Performance
Section 26	-

Supporting Documents

All supporting documents can be found on the Jacobsen website, jacobsen.co.nz or by this QR code

Product Information Declaration
Tarkett Mesto Configurations Range

B2 3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

(c)
5 years if:
1. the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and

2. failure of those building elements to comply with the building code would be easily detected during normal use of the building.

C3.4

Surface Linings

(b)

floor surface materials in the following areas of buildings must meet the performance criteria specified below:

D1.3.3

Access routes shall:

(d)

have adequate slip-resistant walking surfaces under all conditions of normal use.

E3.3.3

Floor surfaces of any space containing sanitary fixtures or sanitary appliances must be impervious and easily cleaned.

E3.3.5

Surfaces of building elements likely to be splashed or become contaminated in the course of the intended use of the building, must be impervious and easily cleaned.

E3.3.6

Surfaces of building elements likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into concealed spaces.

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G3.3.2

Spaces for food preparation and utensil washing shall have:

(b)

all building elements constructed with materials which are free from hazardous substances which could cause contamination to the building contents

G6.3.1

The Sound Transmission Class of walls, floors and ceilings, shall be no less than 55.

G6.3.2

The Impact Insulation Class of floors shall be no less than 55.

H1

This clause requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings.

Note

It is expected that **Tarkett Mesto Configurations** is installed, cleaned and maintained according to instructions and best practice guides housed on the product page.

All products may be subject to fading if exposed to excessive, unfiltered UV light.

Identifiers

This JPID covers all colours from Tarkett Mesto Configurations including:

PR5L Dragon's Breath Light MESTO PR5L
PS5L Maiden Voyage Light MESTO PS5L
PS5 Maiden Voyage MESTO PS5
PS5D Maiden Voyage Dark MESTO PS5D
PS4L After Midnight Light MESTO PS4L
PS4 After Midnight MESTO PS4
PS4D After Midnight Dark MESTO PS4D
PS3L Noble Knight Light MESTO PS3L
PR5 Dragon's Breath MESTO PR5
PR5D Dragon's Breath Dark MESTO PR5D
PR4L Golden Slumber Light MESTO PR4L
PR4 Golden Slumber MESTO PR4
PR4D Golden Slumber Dark MESTO PR4D
PR3L Gallant Steed Light MESTO PR3L
PR3 Gallant Steed MESTO PR3
PR3D Gallant Steed Dark MESTO PR3D
PS3 Noble Knight MESTO PS3
PS3D Noble Knight Dark MESTO PS3D
PS2L Glass Slipper Light MESTO PS2L
PS2 Glass Slipper MESTO PS2
PS2D Glass Slipper Dark MESTO PS2D
PS1L Sorcerer's Wand Light MESTO PS1L
PS1 Sorcerer's Wand MESTO PS1
PS1D Sorcerer's Wand Dark MESTO PS1D
PR9L Story Book Light MESTO PR9L
PR9 Story Book MESTO PR9
PR9D Story Book Dark MESTO PR9D
PR8L Troll's Bridge Light MESTO PR8L
PR8 Troll's Bridge MESTO PR8
PR8D Troll's Bridge Dark MESTO PR8D
PR7L Enchanted Forest Light MESTO PR7L
PR7 Enchanted Forest MESTO PR7
PR7D Enchanted Forest Dark MESTO PR7D
PR6L Mystic Unicorn Light MESTO PR6L
PR6 Mystic Unicorn MESTO PR6
PR6D Mystic Unicorn Dark MESTO PR6D
PR5L Dragon's Breath Light MESTO PR5L66
PR5L Dragon's Breath Light MESTO PR5L1224
PR5L Dragon's Breath Light MESTO PR5L624
PR5L Dragon's Breath Light MESTO PR5L2424
PR5L Dragon's Breath Light MESTO PR5L1212
PS5L Maiden Voyage Light MESTO PS5L66
PS5L Maiden Voyage Light MESTO PS5L1224
PS5L Maiden Voyage Light MESTO PS5L624
PS5L Maiden Voyage Light MESTO PS5L2424
PS5L Maiden Voyage Light MESTO PS5L1212
PS5 Maiden Voyage MESTO PS566
PS5 Maiden Voyage MESTO PS51224
PS4D After Midnight Dark MESTO PS4D66
PS4D After Midnight Dark MESTO PS4D1224
PS4D After Midnight Dark MESTO PS4D624
PS4D After Midnight Dark MESTO PS4D2424
PS4D After Midnight Dark MESTO PS4D1212
PS3L Noble Knight Light MESTO PS3L66
PS3L Noble Knight Light MESTO PS3L1224
PS3L Noble Knight Light MESTO PS3L624
PS3L Noble Knight Light MESTO PS3L2424
PS3L Noble Knight Light MESTO PS3L1212
PR5 Dragon's Breath MESTO PR566
PR9L Story Book Light MESTO PR9L66
PR9L Story Book Light MESTO PR9L1224
PR9L Story Book Light MESTO PR9L624
PR9L Story Book Light MESTO PR9L2424
PR9L Story Book Light MESTO PR9L1212
PR9 Story Book MESTO PR966
PR9 Story Book MESTO PR91224
PR9 Story Book MESTO PR9624
PR9 Story Book MESTO PR92424
PS5 Maiden Voyage MESTO PS5624
PS5 Maiden Voyage MESTO PS52424
PS5 Maiden Voyage MESTO PS51212
PS5D Maiden Voyage Dark MESTO PS5D66
PS5D Maiden Voyage Dark MESTO PS5D1224
PS5D Maiden Voyage Dark MESTO PS5D624
PS5D Maiden Voyage Dark MESTO PS5D2424
PS5D Maiden Voyage Dark MESTO PS5D1212
PS4L After Midnight Light MESTO PS4L66
PS4L After Midnight Light MESTO PS4L1224
PS4L After Midnight Light MESTO PS4L624
PS4L After Midnight Light MESTO PS4L2424
PS4L After Midnight Light MESTO PS4L1212
PS4 After Midnight MESTO PS466
PS4 After Midnight MESTO PS41224
PS4 After Midnight MESTO PS4624
PS4 After Midnight MESTO PS42424
PS4 After Midnight MESTO PS41212
PR5 Dragon's Breath MESTO PR51224
PR5 Dragon's Breath MESTO PR5624
PR5 Dragon's Breath MESTO PR52424
PR5 Dragon's Breath MESTO PR51212

PR5D Dragon's Breath Dark MESTO PR5D66
PR5D Dragon's Breath Dark MESTO PR5D1224
PR5D Dragon's Breath Dark MESTO PR5D624
PR5D Dragon's Breath Dark MESTO PR5D2424
PR5D Dragon's Breath Dark MESTO PR5D1212
PR4L Golden Slumber Light MESTO PR4L66
PR4L Golden Slumber Light MESTO PR4L1224
PR4L Golden Slumber Light MESTO PR4L624
PR4L Golden Slumber Light MESTO PR4L2424
PR4L Golden Slumber Light MESTO PR4L1212
PR4 Golden Slumber MESTO PR466
PR4 Golden Slumber MESTO PR41224
PR4 Golden Slumber MESTO PR4624
PR9 Story Book MESTO PR91212
PR9D Story Book Dark MESTO PR9D66
PR9D Story Book Dark MESTO PR9D1224
PR9D Story Book Dark MESTO PR9D624
PR9D Story Book Dark MESTO PR9D2424
PR9D Story Book Dark MESTO PR9D1212
PR8L Troll's Bridge Light MESTO PR8L66
PR8L Troll's Bridge Light MESTO PR8L1224
PR8L Troll's Bridge Light MESTO PR8L624
PR4D Golden Slumber Dark MESTO PR4D66
PR4D Golden Slumber Dark MESTO PR4D1224
PR4D Golden Slumber Dark MESTO PR4D624
PR4D Golden Slumber Dark MESTO PR4D2424
PR4D Golden Slumber Dark MESTO PR4D1212
PR3L Gallant Steed Light MESTO PR3L66
PR3L Gallant Steed Light MESTO PR3L1224
PR3L Gallant Steed Light MESTO PR3L624
PR3L Gallant Steed Light MESTO PR3L2424
PR3L Gallant Steed Light MESTO PR3L1212
PR3 Gallant Steed MESTO PR366
PR3 Gallant Steed MESTO PR31224
PR3 Gallant Steed MESTO PR3624
PR3 Gallant Steed MESTO PR32424
PR3 Gallant Steed MESTO PR31212
PS2L Glass Slipper Light MESTO PS2L66
PS2L Glass Slipper Light MESTO PS2L1224
PS2L Glass Slipper Light MESTO PS2L624
PS2L Glass Slipper Light MESTO PS2L2424
PS2L Glass Slipper Light MESTO PS2L1212
PS2 Glass Slipper MESTO PS266
PS2 Glass Slipper MESTO PS21224
PS2 Glass Slipper MESTO PS2624
PS2 Glass Slipper MESTO PS22424
PS2 Glass Slipper MESTO PS21212
PS2D Glass Slipper Dark MESTO PS2D66
PS2D Glass Slipper Dark MESTO PS2D1224
PR4 Golden Slumber MESTO PR42424
PR4 Golden Slumber MESTO PR41212
PR7L Enchanted Forest Light MESTO PR7L66
PR7L Enchanted Forest Light MESTO PR7L1224
PR7L Enchanted Forest Light MESTO PR7L624
PR7L Enchanted Forest Light MESTO PR7L2424
PR7L Enchanted Forest Light MESTO PR7L1212
PR7 Enchanted Forest MESTO PR766
PR7 Enchanted Forest MESTO PR71224
PR7 Enchanted Forest MESTO PR7624
PR7 Enchanted Forest MESTO PR72424
PR7 Enchanted Forest MESTO PR71212
PR7D Enchanted Forest Dark MESTO PR7D66
PR7D Enchanted Forest Dark MESTO PR7D1224
PR7D Enchanted Forest Dark MESTO PR7D624
PR7D Enchanted Forest Dark MESTO PR7D2424
PR7D Enchanted Forest Dark MESTO PR7D1212
PR8L Troll's Bridge Light MESTO PR8L2424
PR8L Troll's Bridge Light MESTO PR8L1212
PR8 Troll's Bridge MESTO PR866
PR8 Troll's Bridge MESTO PR81224
PR8 Troll's Bridge MESTO PR8624
PR8 Troll's Bridge MESTO PR82424
PR8 Troll's Bridge MESTO PR81212
PR8D Troll's Bridge Dark MESTO PR8D66
PR8D Troll's Bridge Dark MESTO PR8D1224
PR8D Troll's Bridge Dark MESTO PR8D624
PR8D Troll's Bridge Dark MESTO PR8D2424
PR8D Troll's Bridge Dark MESTO PR8D1212
PR3D Gallant Steed Dark MESTO PR3D66
PR3D Gallant Steed Dark MESTO PR3D1224
PR3D Gallant Steed Dark MESTO PR3D624
PR3D Gallant Steed Dark MESTO PR3D2424
PR3D Gallant Steed Dark MESTO PR3D1212
PS3 Noble Knight MESTO PS366
PS3 Noble Knight MESTO PS31224
PS3 Noble Knight MESTO PS3624

PS3 Noble Knight MESTO PS32424
PS3 Noble Knight MESTO PS31212
PS3D Noble Knight Dark MESTO PS3D66
PS3D Noble Knight Dark MESTO PS3D1224
PS3D Noble Knight Dark MESTO PS3D624
PS3D Noble Knight Dark MESTO PS3D2424
PS3D Noble Knight Dark MESTO PS3D1212
PS2D Glass Slipper Dark MESTO PS2D624
PS2D Glass Slipper Dark MESTO PS2D2424
PS2D Glass Slipper Dark MESTO PS2D1212
PS1L Sorcerer's Wand Light MESTO PS1L66
PS1L Sorcerer's Wand Light MESTO PS1L1224
PS1L Sorcerer's Wand Light MESTO PS1L624
PS1L Sorcerer's Wand Light MESTO PS1L2424
PS1L Sorcerer's Wand Light MESTO PS1L1212
PS1 Sorcerer's Wand MESTO PS166
PS1 Sorcerer's Wand MESTO PS11224
PS1 Sorcerer's Wand MESTO PS1624
PS1 Sorcerer's Wand MESTO PS12424
PS1 Sorcerer's Wand MESTO PS11212
PS1D Sorcerer's Wand Dark MESTO PS1D66
PS1D Sorcerer's Wand Dark MESTO PS1D1224
PS1D Sorcerer's Wand Dark MESTO PS1D624
PS1D Sorcerer's Wand Dark MESTO PS1D2424
PS1D Sorcerer's Wand Dark MESTO PS1D1212
PR6L Mystic Unicorn Light MESTO PR6L66
PR6L Mystic Unicorn Light MESTO PR6L1224
PR6L Mystic Unicorn Light MESTO PR6L624
PR6L Mystic Unicorn Light MESTO PR6L2424
PR6L Mystic Unicorn Light MESTO PR6L1212
PR6 Mystic Unicorn MESTO PR666
PR6 Mystic Unicorn MESTO PR61224
PR6 Mystic Unicorn MESTO PR6624
PR6 Mystic Unicorn MESTO PR62424
PR6 Mystic Unicorn MESTO PR61212
PR6D Mystic Unicorn Dark MESTO PR6D66
PR6D Mystic Unicorn Dark MESTO PR6D1224
PR6D Mystic Unicorn Dark MESTO PR6D624
PR6D Mystic Unicorn Dark MESTO PR6D2424
PR6D Mystic Unicorn Dark MESTO PR6D1212

Sustainability

Rating System	Rating	Product Performance
Green Star Design & As Built NZ (V1)	Credit 12	-
	Credit 20	1 Point
	Credit 21	Sustainability Factor (SF) = 0.75
Green Star Interiors NZ (V1)	Credit 13	-
	Credit 20	1 Point
	Credit 21	Sustainability Factor (SF) = 0.75
Green Star Performance NZ (V1)	Credit 21	1 Point
Homestar V5	HC 7	1 Point
	EN 3	1.5 Points
Homestar V4	Mat-1	2 Points
	Mat-2	1 Point
Environmental Product Declaration (EPD)		Yes
Embodied Carbon Emission Data		2mm - 7.55kg CO2 eq m2, 3.17mm - 12.5kg/ CO2 eq m2

Environmental Credentials

Jacobsen 41D Morrin Road,
St Johns, 1072
0800 800 460
jacobsen.co.nz
sales@jacobsen.co.nz

NZBN:
9429040403328

Product Manufacturer: **Tarkett**
Country of Origin: United States of America