

Product Information Declaration

Tarkett Triumph and Inertia Range

Range Description

This Jacobsen Product Information Declaration (PID) applies to the rubber range sold by Jacobsen as Tarkett Triumph and Inertia

Identifiers

See individual sku codes under [identifiers](#)

Scope and Limitations of Intended Use

<input checked="" type="checkbox"/> Residential	<input checked="" type="checkbox"/> Commercial	<input checked="" type="checkbox"/> Interior	<input checked="" type="checkbox"/> Exterior
<input checked="" type="checkbox"/> High Traffic	<input checked="" type="checkbox"/> Low-Traffic	<input checked="" type="checkbox"/> Exposed Sunlight	<input checked="" type="checkbox"/> Wet Areas
<input checked="" type="checkbox"/> Antistatic Environment	<input checked="" type="checkbox"/> Food-Prep Areas	<input checked="" type="checkbox"/> Clean-Room	<input checked="" type="checkbox"/> With Wheels
<input checked="" type="checkbox"/> Ramp/Entry	<input checked="" type="checkbox"/> Under-Floor Heating	<input checked="" type="checkbox"/> Over-Existing-Floor	

B Stability

Relevant NZBC Clause	Product Performance
B2.3.1(c)	5 Years Commercial Limited
Residential	-
Commercial	Heavy Duty
Industrial	-

C Protection from Fire

Relevant NZBC Clause	Product Performance
C4.3	
C4.3 (a) Wall	-
C4.3 (b) Floor	Inertia >11 kW/m ² , Triumph 9.39 kW/m ² (ISO 9239.1:2010)

D Access

Relevant NZBC Clause	Product Performance
D1.3.3	
Level Surface (Wet)	ASTM D2047 - SCOF > 0.5
Level Surface (Dry)	Acceptable Solution
Suitable for food prep	-

E Moisture

Relevant NZBC Clause	Product Performance
E3.3.3	Impervious and easily cleaned
E3.3.5	Impervious and easily cleaned
E3.3.6	Water resistant
NZBC/AS1	-

F Safety of Users

Relevant NZBC Clause	Product Performance
F2.3.1	≤ 500 µg / m ³ Does not encourage bacterial growth Phthalate-free
Indoor Air Quality	Optimal

G Services and Facilities

Relevant NZBC Clause	Product Performance
G3.3.2 (b)	Water resistant
G6.3.2	-

H Energy Efficiency

Relevant NZBC Clause	Product Performance
Thermal Rating	ΔE ≤ 8.0 (ASTM F1514)

X Warnings and Bans

Building Act 2004	Product Performance
Section 26	-

Supporting Documents

All supporting documents can be found on the Jacobsen website, jacobsen.co.nz or by this QR code



Product Information Declaration

Tarkett Triumph and Inertia Range

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

- (c)
5 years if:
1. the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and
 2. failure of those building elements to comply with the building code would be easily detected during normal use of the building.

C3.4

Surface Linings

(b)

floor surface materials in the following areas of buildings must meet the performance criteria specified below:

D1.3.3

Access routes shall:

(d)

have adequate slip-resistant walking surfaces under all conditions of normal use.

E3.3.3

Floor surfaces of any space containing sanitary fixtures or sanitary appliances must be impervious and easily cleaned.

E3.3.5

Surfaces of building elements likely to be splashed or become contaminated in the course of the intended use of the building, must be impervious and easily cleaned.

E3.3.6

Surfaces of building elements likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into concealed spaces.

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G3.3.2

Spaces for food preparation and utensil washing shall have:

(b)

all building elements constructed with materials which are free from hazardous substances which could cause contamination to the building contents

G6.3.1

The Sound Transmission Class of walls, floors and ceilings, shall be no less than 55.

G6.3.2

The Impact Insulation Class of floors shall be no less than 55.

H1

This clause requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings.

Note

It is expected that Tarkett Triumph and Inertia is installed, cleaned and maintained according to instructions and best practice guides housed on the product page.

All products may be subject to fading if exposed to excessive, unfiltered UV light.

Product Information Declaration

Tarkett Triumph and Inertia Range

Identifiers

This JPID covers all colours from Tarkett Triumph and Inertia including:

Vortex TRTRI78	Burged TRIN12
Vortex TRTRI77	Burged TRIN11
Vortex TRTRI76	Browns Town TRIN10
Tree Top TRTRI75	Browns Town TRIN09
Tree Top TRTRI74	Brownout TRIN08
Tree Top TRTRI73	Brownout TRIN07
Tidal TRTRI72	Best Seller TRTRI02
Tidal TRTRI71	Best Seller TRTRI01
Tidal TRTRI70	Vortex TRIN52
Tea Leaves TRTRI69	Vortex TRIN51
Lunar Explorer TRIN30	Tree Top TRIN50
Log Cabin TRTRI38	Tree Top TRIN49
Log Cabin TRTRI37	Tidal TRIN48
Grey Area TRTRI36	Tidal TRIN47
Grey Area TRTRI35	Tea Leaves TRIN46
Grey Area TRTRI34	Plainer TRTRI57
Great Plains TRTRI33	Plainer TRTRI56
Great Plains TRTRI32	Plainer TRTRI55
Great Plains TRTRI31	Passion TRTRI54
Lunar Explorer TRIN29	Passion TRTRI53
Lucky TRIN28	Passion TRTRI52
Lucky TRIN27	Mottled Egg TRTRI51
Log Cabin TRIN26	Mottled Egg TRTRI50
Log Cabin TRIN25	Mottled Egg TRTRI49
Grey Area TRIN24	Marino TRTRI48
Grey Area TRIN23	Marino TRTRI47
Great Plains TRIN22	Marino TRTRI46
Great Plains TRIN21	Lunar Explorer TRTRI45
Fortunate TRTRI30	Lunar Explorer TRTRI44
Fortunate TRTRI29	Burged TRTRI18
Fortunate TRTRI28	Burged TRTRI17
Forestation TRTRI27	Burged TRTRI16
Forestation TRTRI26	Browns Town TRTRI15
Forestation TRTRI25	Bright Sun TRIN06
Expedition TRTRI24	Bright Sun TRIN05
Expedition TRTRI23	Bluer TRIN04
Fortunate TRIN20	Bluer TRIN03
Fortunate TRIN19	Tea Leaves TRIN45
Forestation TRIN18	Strong Blue TRIN44
Forestation TRIN17	Strong Blue TRIN43
Expedition TRIN16	Rainy Day TRIN42
Expedition TRIN15	Rainy Day TRIN41
Cocolite TRIN14	Rainstorm TRIN40
Cocolite TRIN13	Rainstorm TRIN39
Bright Sun TRTRI08	Plainer TRIN38
Bright Sun TRTRI07	Lunar Explorer TRTRI43
Bluer TRTRI06	Lucky TRTRI42
Bluer TRTRI05	Lucky TRTRI41
Bluer TRTRI04	Lucky TRTRI40
Best Seller TRTRI03	Browns Town TRTRI14
Tea Leaves TRTRI68	Browns Town TRTRI13
Tea Leaves TRTRI67	Brown out TRTRI12
Strong Blue TRTRI66	Brown out TRTRI11
Strong Blue TRTRI65	Best Seller TRIN02
Strong Blue TRTRI64	Plainer TRIN37
Rainy Day TRTRI63	Passion TRIN36
Rainy Day TRTRI62	Passion TRIN35
Rainy Day TRTRI61	Mottled Egg TRIN34
Rain storm TRTRI60	Mottled Egg TRIN33
Rain storm TRTRI59	Marino TRIN32
Rain storm TRTRI58	Log Cabin TRTRI39
Expedition TRTRI22	Brown out TRTRI10
Cocolite TRTRI21	Bright Sun TRTRI09
Cocolite TRTRI20	Best Seller TRIN01
Cocolite TRTRI19	Marino TRIN31

Sustainability

Rating System	Rating	Product Performance
Green Star Design & As Built NZ (V1)	Credit 12	-
	Credit 20	1 Point
	Credit 21	Sustainability Factor (SF) = 0.75
Green Star Interiors NZ (V1)	Credit 13	-
	Credit 20	1 Point
	Credit 21	Sustainability Factor (SF) = 0.75
Green Star Performance NZ (V1)	Credit 21	-
Homestar V5	HC 7	1 Point
	EN 3	-
Homestar V4	Mat-1	-
	Mat-2	1 Point
Environmental Product Declaration (EPD)		Yes
Embodied Carbon Emission Data		1.56kg/CO2 eq m2

Environmental Credentials



