Jacobsen®

Product Information Declaration

Tarkett Colour Splash Range

Range Description

This Jacobsen Product Information Declaration (PID) applies to the rubber range sold by Jacobsen as **Tarkett Colour Splash**

Identifiers

See individual sku codes under identifiers

Scope and Limitations of Intended Use

✓ Residential	✓ Commercial	✓ Interior	✗ ~~Exterior~~
✓ High Traffic	✗ ~~Low Traffic~~	✓ Exposed Sunlight	✗ ~~Wet Areas~~
✗ ~~Antistatic Environment~~	✗ ~~Food Prep Areas~~	✗ ~~Clean Room~~	✓ With Wheels
✗ ~~Ramp/Entry~~	✗ ~~Under Floor Heating~~	✗ ~~Over Existing Floor~~	

B
Stability

Relevant NZBC Clause	Product Performance
B2.3.1(c)	5 Years Commercial Limited
Residential	-
Commercial	Heavy Duty
Industrial	-

C
Protection from Fire

Relevant NZBC Clause	Product Performance
C3.4	
C3.4 (a) Wall	-
C3.4 (b) Floor	>10.81 kW/m2 (ISO 9239.1:2010)

D
Access

Relevant NZBC Clause	Product Performance
D1.3.3	
Level Surface (Wet)	-
Level Surface (Dry)	ASTM D2047 - SCOF > 0.6
Suitable for food prep	-

E
Moisture

Relevant NZBC Clause	Product Performance
E3.3.3	Impervious and easily cleaned
E3.3.5	Impervious and easily cleaned
E3.3.6	Water resistant
NZBC/AS1	-

F
Safety of Users

Relevant NZBC Clause	Product Performance
F2.3.1	≤ 500 µg / m^3
	Does not encourage bacterial growth
	Phthalate-free
Indoor Air Quality	Optimal

G
Services and Facilities

Relevant NZBC Clause	Product Performance
G3.3.2 (b)	Water resistant
G6.3.2	-

H
Energy Efficiency

Relevant NZBC Clause	Product Performance
Thermal Rating	ΔE ≤ 8.0 (ASTM F1514)

X
Warnings and Bans

Building Act 2004	Product Performance
Section 26	-

Supporting Documents

All supporting documents can be found on the Jacobsen website, jacobsen.co.nz or by this QR code

Product Information Declaration
Tarkett Colour Splash Range

B2 3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

(c)
5 years if:
1. the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and

2. failure of those building elements to comply with the building code would be easily detected during normal use of the building.

C3.4

Surface Linings

(b)

floor surface materials in the following areas of buildings must meet the performance criteria specified below:

D1.3.3

Access routes shall:

(d)

have adequate slip-resistant walking surfaces under all conditions of normal use.

E3.3.3

Floor surfaces of any space containing sanitary fixtures or sanitary appliances must be impervious and easily cleaned.

E3.3.5

Surfaces of building elements likely to be splashed or become contaminated in the course of the intended use of the building, must be impervious and easily cleaned.

E3.3.6

Surfaces of building elements likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into concealed spaces.

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G3.3.2

Spaces for food preparation and utensil washing shall have:

(b)

all building elements constructed with materials which are free from hazardous substances which could cause contamination to the building contents

G6.3.1

The Sound Transmission Class of walls, floors and ceilings, shall be no less than 55.

G6.3.2

The Impact Insulation Class of floors shall be no less than 55.

H1

This clause requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings.

Note

It is expected that **Tarkett Colour Splash** is installed, cleaned and maintained according to instructions and best practice guides housed on the product page.

All products may be subject to fading if exposed to excessive, unfiltered UV light.

Product Information Declaration
Tarkett Colour Splash Range

Identifiers

This JPID covers all colours from Tarkett Colour Splash including:

VE9 ANTELOPE VALLEY CS VE9
VE8 SANDSTORM CS VE8
VE7 MT RAINIER CS VE7
VE6 DUSTY PALOUSE CS VE6
VE5 SNOWCAP CS VE5
VK5 CAPE HATTERAS CS VK5
VJ3 DAWGS CS VJ3
VJ2 SAND SHORELINE CS VJ2
VJ1 SAILOR CS VJ1
VH9 LAKE CHELAN CS VH9
VH8 ORANGE MARY CS VH8
VE4 HISTORIC CS VE4
VE3 SPOKANE WARM CS VE3
VE2 LAKE SHORE CS VE2
VE1 LAKE COUR D'ALENE CS VE1
VK4 PERRYS BLUE CS VK4
VK3 THE PUGET SOUND CS VK3
VK2 BLOODY MARY ON THE LAKE CS VK2
VK1 SAN JUAN CS VK1
VJ9 TORCH LAKE CS VJ9
VJ8 PALOUS FALLS CS VJ8
VJ7 OLD YORK CS VJ7
VJ6 DOUGLAS FIR CS VJ6
VJ5 VINEYARD CS VJ5
VJ4 PLYMOUTH ROCK CS VJ4
VH7 SPICY CLEMENTINE CS VH7
VH6 JOCKEY'S RIDGE CS VH6
VH5 HIGHBRIDGE TRAIL CS VH5
VH4 GOLDEN FLASH CS VH4
VH3 LIBERTY CS VH3
VH2 ADIRONDACK CS VH2
VH1 MARINER CS VH1
VG9 MARITIME CS VG9
VG8 CANNON BEACH CS VG8
VG7 ECHO LAKE CS VG7
VG6 CANARY CS VG6
VG5 RIDE THE DUCK CS VG5
VG4 COUGAR CS VG4
VG3 IRONSIDES CS VG3
VG2 DUNGENESS CRAB CS VG2
VG1 FORKS FALLS CS VG1
VF9 BRYCE POINT CS VF9
VF8 COZY CANNON CS VF8
VF7 CAPE MAY CS VF7
VF6 SANDHILL CRANE CS VF6
VF5 GORGE AREA CS VF5
VF4 HUSK CS VF4
VF3 GREENBLUFF CS VF3
VF2 OAK ALLEY CS VF2
VF1 OCTOBERFEST CS VF1

Sustainability

Rating System	Rating	Product Performance
Green Star Design & As Built NZ (V1)	Credit 12	-
	Credit 20	1 Point
	Credit 21	Sustainability Factor (SF) = 0.75
Green Star Interiors NZ (V1)	Credit 13	-
	Credit 20	1 Point
	Credit 21	Sustainability Factor (SF) = 0.75
Green Star Performance NZ (V1)	Credit 21	1 Point
Homestar V5	HC 7	1 Point
	EN 3	1.5 Points
Homestar V4	Mat-1	2 Points
	Mat-2	1 Point
Environmental Product Declaration (EPD)		Yes
Embodied Carbon Emission Data		2mm - 7.55kg CO2 eq m2, 3.17mm - 12.5kg/ CO2 eq m2

Environmental Credentials

Jacobsen®

Jacobsen 41D Morrin Road,
St Johns, 1072
0800 800 460
jacobsen.co.nz
sales@jacobsen.co.nz

NZBN:
9429040403328

Tarkett

Product Manufacturer: **Tarkett**
Country of Origin: United States of America