

Product Information Declaration

Tarkett Eclipse Premium Classic Range

Range Description

This Jacobsen Product Information Declaration (PID) applies to the vinyl range sold by Jacobsen as Tarkett Eclipse Premium Classic

Identifiers

See individual sku codes under [identifiers](#)

Scope and Limitations of Intended Use

|                          |                             |                              |                          |
|--------------------------|-----------------------------|------------------------------|--------------------------|
| ✗ Residential            | ✓ Commercial                | ✓ Interior                   | ✗ Exterior               |
| ✓ High Traffic           | ✗ Low-Traffic               | ✓ Exposed Sunlight           | ✓ Wet Areas <sup>1</sup> |
| ✗ Antistatic Environment | ✓ Clean Room                | ✗ Over Existing Floor        | ✓ With Wheels            |
| ✗ Under Floor Heating    | ✓ Splash Zones <sup>2</sup> | ✓ Commercial Food Prep Areas | ✗ Wet Areas <sup>2</sup> |
| ✗ Entrance               |                             |                              |                          |

1. Bathrooms with showers  
2. Bathrooms without showers, laundries, kitchens, dining rooms adjacent to sanitary appliances with the right adhesive, and  
E3 Alternative installation instructions

B  
Stability

| Relevant NZBC Clause | Product Performance |
|----------------------|---------------------|
| B2.3.1(c)            | 10 Years            |
| Residential          | -                   |
| Commercial           | 34 Very Heavy       |
| Industrial           | 43 Heavy            |

C  
Protection from Fire

| Relevant NZBC Clause | Product Performance             |
|----------------------|---------------------------------|
| C3.4                 |                                 |
| C3.4 (a) Wall        | Group 3 (ISO 5660.1-2002)       |
| C3.4 (b) Floor       | CRF 10.5kW/m² (ISO 9239-1:2010) |

D  
Access

| Relevant NZBC Clause   | Product Performance   |
|------------------------|-----------------------|
| D1.3.3                 |                       |
| Level Surface (Wet)    | -                     |
| Level Surface (Dry)    | SRV 52 (AS 4586:2013) |
| Suitable for food prep | -                     |

E  
Moisture

| Relevant NZBC Clause | Product Performance           |
|----------------------|-------------------------------|
| E3.3.3               | Impervious and easily cleaned |
| E3.3.5               | Impervious and easily cleaned |
| E3.3.6               | Water resistant               |
| NZBC/AS1             | -                             |

F  
Safety of Users

| Relevant NZBC Clause | Product Performance                                                                       |
|----------------------|-------------------------------------------------------------------------------------------|
| F2.3.1               | ≤ 10 µg/m3 (ISO 16000-9)<br><br>Does not encourage bacterial growth<br><br>Phthalate-free |
| Indoor Air Quality   | Optimal                                                                                   |

G  
Services and Facilities

| Relevant NZBC Clause | Product Performance |
|----------------------|---------------------|
| G3.3.2 (b)           | Water resistant     |
| G6.3.2               | -                   |

H  
Energy Efficiency

| Relevant NZBC Clause | Product Performance |
|----------------------|---------------------|
| Thermal Rating       | Approx. 0.01 m2 K/W |

X  
Warnings and Bans

| Building Act 2004 | Product Performance |
|-------------------|---------------------|
| Section 26        | -                   |

Supporting Documents

All supporting documents can be found on the Jacobsen website, [jacobsen.co.nz](#) or by this QR code



# Product Information Declaration

## Tarkett Eclipse Premium Classic Range

---

### B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

- (c)  
5 years if:
1. the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and
  2. failure of those building elements to comply with the building code would be easily detected during normal use of the building.

### C3.4

Surface Linings

#### (b)

floor surface materials in the following areas of buildings must meet the performance criteria specified below:

### D1.3.3

Access routes shall:

#### (d)

have adequate slip-resistant walking surfaces under all conditions of normal use.

### E3.3.3

Floor surfaces of any space containing sanitary fixtures or sanitary appliances must be impervious and easily cleaned.

### E3.3.5

Surfaces of building elements likely to be splashed or become contaminated in the course of the intended use of the building, must be impervious and easily cleaned.

### E3.3.6

Surfaces of building elements likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into concealed spaces.

### F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

### G3.3.2

Spaces for food preparation and utensil washing shall have:

#### (b)

all building elements constructed with materials which are free from hazardous substances which could cause contamination to the building contents

### G6.3.1

The Sound Transmission Class of walls, floors and ceilings, shall be no less than 55.

### G6.3.2

The Impact Insulation Class of floors shall be no less than 55.

### H1

This clause requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings.

---

## Note

It is expected that **Tarkett Eclipse Premium Classic** is installed, cleaned and maintained according to instructions and best practice guides housed on the product page.

All products may be subject to fading if exposed to excessive, unfiltered UV light.

# Product Information Declaration

## Tarkett Eclipse Premium Classic Range

### Identifiers

This JPID covers all colours from Tarkett Eclipse Premium Classic including:

|                        |                            |
|------------------------|----------------------------|
| White Clay Grey E12262 | Medium Gold E21020004      |
| Grey 41195             | White Green E21020677      |
| Dark Warm Grey 41194   | Light Cool Beige E21020645 |
| Warm White 41193       | Medium Grey Blue E21020067 |
| Light Brick 41192      | White Brown E21020810      |
| Sand 41191             | White Beige E21020808      |
| Light Sand 41190       | White Grey 12261           |
| Green 41189            | Medium Cool Grey 12257     |
| Light Green 41188      | Medium Grey E21020040      |
| Light Aqua 41187       | Medium Pure Grey 12260     |
| Blue 41186             | Light Pure Grey E12259     |
| Light Blue 41185       | Medium Warm Beige 12258    |
| Dark Cool Grey 12255   | Light Warm Grey E22478     |
| Medium Green E21020010 |                            |

### Sustainability

| Rating System                           | Rating                    | Product Performance                |
|-----------------------------------------|---------------------------|------------------------------------|
| Green Star Buildings NZ                 | Responsible Product Value | 21                                 |
|                                         | Exposure to Toxins        | Meets minimum requirements         |
| Green Star Design & As Built NZ (V1)    | Credit 12                 | -                                  |
|                                         | Credit 20                 | 1 Point                            |
|                                         | Credit 21                 | Sustainability Factor (SF) = 1     |
| Green Star Interiors NZ (V1)            | Credit 13                 | -                                  |
|                                         | Credit 20                 | 1 Point                            |
|                                         | Credit 21                 | Sustainability Factor (SF) = 1     |
| Green Star Performance NZ (V1)          | Credit 21                 | 1 Point                            |
| Homestar V5                             | HC 7                      | 1 Point                            |
|                                         | EN 3                      | 1.5 Points                         |
| Homestar V4                             | Mat-1                     | 2 Points                           |
|                                         | Mat-2                     | 1 Point                            |
| Environmental Product Declaration (EPD) |                           | Yes                                |
| Embodied Carbon Emission Data           |                           | 5.71 kgCO2eq / m2 (Cradle to Gate) |

### Environmental Credentials



