## **Product Information Declaration**

## **Tarkett iQ Optima Range**

#### **Range Description**

This Jacobsen Product Information Declaration (PID) applies to the vinyl range sold by Jacobsen as **Tarkett iQ Optima** 

#### **Identifiers**

See individual sku codes under identifiers

#### **Scope and Limitations of Intended Use**

High Traffic

Antistatic Environment

✓ Commercial Food Prep Areas

✓ Commercial

X Low Traffic

Clean Room

X Under Floor Heating

Interior

Exposed Sunlight

✓ With Wheels

X Over Existing Floor

Exterior

✓ Wet Areas

X Ramp/Entry

Splash Zones

#### R

#### **Stability**

Relevant NZBC Clause	Product Performance
B2.3.1(c)	10 years
Residential	-
Commercial	34 (ISO 18074)
Industrial	43 (ISO 18074)

#### **Protection from Fire**

Relevant NZBC Clause	Product Performance
C3.4	
C3.4 (a) Wall	Group 3 (ISO 5660.1-2015)
C3.4 (b) Floor	CRF 9.2 kW/m2 (ISO 9239-1:2010)

### D

#### **Access**

Relevant NZBC Clause	Product Performance
D1.3.3	
Level Surface (Wet)	-
Level Surface (Dry)	SRV 45 (AS 4586:2013)
Suitable for food prep	-

### Ε

#### **Moisture**

Relevant NZBC Clause	Product Performance
E3.3.3	Impervious and easily cleaned
E3.3.5	Impervious and easily cleaned
E3.3.6	Water resistant
NZBC/AS1	-

## F

## **Safety of Users**

Relevant NZBC Clause	Product Performance
F2.3.1	Less than 10¬μg/m3 (ISO 16000-9)
	Does not encourage bacterial growth
	Phthalate-free
Indoor Air Quality	Optimal

## G

#### **Services and Facilities**

Relevant NZBC Clause	Product Performance
G3.3.2 (b)	Water resistant
G6.3.2	-

## Н

#### **Energy Efficiency**

Relevant NZBC Clause	Product Performance
Thermal Rating	0.01m2 K/W (EN 12667)

## X

#### **Warnings and Bans**

Building Act 2004	Product Performance
Section 26	-

#### **Supporting Documents**

All supporting documents can be found on the Jacobsen website, jacobsen.co.nz or by this QR code



Page 1 of 3 V:300725

# **Product Information Declaration Tarkett iQ Optima Range**

#### B2 3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

(c)

5 years if:

- 1. the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and
- 2. failure of those building elements to comply with the building code would be easily detected during normal use of the building.

#### C3.4

Surface Linings

(b)

floor surface materials in the following areas of buildings must meet the performance criteria specified below:

#### D1.3.3

Access routes shall:

(d)

have adequate slip-resistant walking surfaces under all conditions of normal use.

#### E3.3.3

Floor surfaces of any space containing sanitary fixtures or sanitary appliances must be impervious and easily cleaned.

#### E3.3.5

Surfaces of building elements likely to be splashed or become contaminated in the course of the intended use of the building, must be impervious and easily cleaned.

#### E3.3.6

Surfaces of building elements likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into concealed spaces.

#### F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the construction of buildings, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

#### G3.3.2

Spaces for food preparation and utensil washing shall have:

#### (b

all building elements constructed with materials which are free from hazardous substances which could cause contamination to the building contents

#### G6.3.1

The Sound Transmission Class of walls, floors and ceilings, shall be no less than FF

#### G6.3.2

The Impact Insulation Class of floors shall be no less than 55.

#### H1

This clause requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings.

## **Note**

It is expected that **Tarkett iQ Optima** is installed, cleaned and maintained according to instructions and best practice guides housed on the product page.

All products may be subject to fading if exposed to excessive, unfiltered UV light.

Page 2 of 3 V:300725

# **Product Information Declaration Tarkett iQ Optima Range**

#### **Identifiers**

This JPID covers all colours from Tarkett iQ Optima including:

Red E3242877 Soft Green E3242987 Soft Blue E3242983 Soft Brown E3242977 Soft Clay Grey E3242952 Soft Grey E3242947 Soft Light Grey E3242946 White Grey 12506 Brick Orange E3242927 Coral E3242926 Blend Brick E3242997 Blend Sand E3242996 Blend Green E3242995 Blend Blue E3242993 Soft Brick E3242990 Sand E3242822 Dark Sand 26895 Soft Sand E3242989 Dark Old Brick E3242876 Dark Blue 26913 Light Black 26894 Medium Cool Grey E3242762 Light Grey White E3242760 Blue E3242867 Medium Blue E3242855 Light Blue E3242851 Light Aqua 26909 Light Green E3242843

Green Grey E3242841

Green E3242839 Olive Green 26905 Light Olive Green E3242837 Light Yellow E3242835 Yellow E3242834 Clay Brick 26901 Clay Beige E3242830 Clay E3242828 Beige E3242827 Warm Sand E3242823 Cool White 20949 Dark Grey 12505 Light Grey 12504 White 12503 Grey Sand 12501 Light Sand Beige 12480 White Beige Grey 23066 Medium Grey 12498 Black 12494 Neutral Grey 12477 Soft Warm White 12473 Soft Dark Cool Grey 22790 Grey Beige 12512 Grey White 12511 Nature White (Limited availability) 12518 Beige Grey 12508 Light Beige Grey 12507

#### **Sustainability**

Rating System	Rating	Product Performance
Green Star Buildings NZ	Responsible Product Value	27
	Exposure to Toxins	Meets minimum requirements
Green Star Design & As Built NZ (V1)	Credit 12	-
	Credit 20	1 Point
	Credit 21	Sustainability Factor (SF) = 1
Green Star Interiors NZ (V1)	Credit 13	-
	Credit 20	1 Point
	Credit 21	Sustainability Factor (SF) = 1
Green Star Performance NZ (V1)	Credit 21	1 Point
Homestar V5	HC 7	1 Point
	EN 3	1.5 Points
Homestar V4	Mat-1	2 Point
	Mat-2	1 Point
Environmental Product Declaration (EPD)		Yes
Embodied Carbon Em	ission Data	5.24 kgCO2e / m2 (Cradle to Gate)

#### **Environmental Credentials**

























## **Jacobsen**<sup>®</sup>

Jacobsen 41D Morrin Road, St Johns, 1072 0800 800 460 jacobsen.co.nz sales@jacobsen.co.nz

NZBN:

9429040403328

# **O** Tarkett

Product Manufacturer: Tarkett Country of Origin: Sweden

Page 3 of 3 V:300725