



JACOBSEN BRINGS YOU

Bespoke Timber

Suitable for residential and commercial applications such as:

- > Workplace
- > Living rooms
- > Kitchen
- > Retail
- > Entrance
- > Rumpus
- > Aged Care
- > Bedroom

Disclaimer: The information given here is correct at the date of publication however due to Bespoke Timber's commitment to ongoing product improvement, Bespoke Timber reserves the right to modify this information without prior notice. Please note that Bespoke Timber's instructions regarding installation, cleaning and maintenance must be observed. Please refer to jacobsen.co.nz for guidance. Whilst we have made every effort to ensure the colours and wood characteristics displayed are as accurate as possible these images may vary from the actual product.

Jacobsen® |  **BESPOKE
TIMBER COATINGS**

Talk to one of our experts, or visit our website:

0800 800 460 | customer.services@jacobsen.co.nz | jacobsen.co.nz



Specifications

Range Name	Classica Oak
Size (W x L)	220 x 2200 mm
Thickness	14 mm
TimberTop	3 mm
Locking System	5G
Nesting	Up to 25%
Grading	Light Feature
Surface	Light Brushing
Bevel	Micro Bevel 4 Sided
Installation	Direct Fix Floating
M² Per Pack	2.90
Planks Per Box	6

Range Name	Urbano Oak
Size (W x L)	190 x 1900 mm
Thickness	15 mm
TimberTop	4 mm
Locking System	Tongue and Groove
Nesting	Up to 25%
Grading	Light Feature Prime
Surface	Light Brushing
Bevel	Micro Bevel 4 Sided
Installation	Direct Fix
M² Per Pack	2.89
Planks Per Box	8


Range Name	Apposito Oak
Size (W x L)	220 x 2200 mm
Thickness	20 mm
TimberTop	6 mm
Locking System	Tongue and Groove
Nesting	Up to 25%
Grading	Light Feature Prime
Surface	Light Brushing
Bevel	Micro Bevel 4 Sided
Installation	Direct Fix
M² Per Pack	2.42
Planks Per Box	5

Range Name	Grandiosa Oak
Size (W x L)	240 x 2200 mm
Thickness	15 mm
TimberTop	4 mm
Locking System	Tongue and Groove
Nesting	Up to 25%
Grading	Rustic
Surface	Variable bandsawn
Bevel	Micro Bevel 4 Sided
Installation	Direct Fix
M² Per Pack	3.17
Planks Per Box	6

Grading



Prime Grade (AB)
Clean boards with minimal knots
Available in 15 mm and 20mm




Light Feature Grade (ABCD)
Some filled knots
Available in 14, 15 and 20 mm



Rustic (CDE)
Filled knots and end splits
Available in 15 mm, variable bandsawn



Finishes



Waterborne Polyurethane

Waterborne Polyurethane provides a stunning finish and far superior durability to an oiled floor. They have a lighter appearance than traditional solvent based finishes. You can choose your desired sheen level and there are many colour options with different primers providing a soft effect, as well as a full range of stains and oils that can be overcoated.



Hard Wax Oil

Oil accentuates the timber grain and offers a 2D effect, there are a huge range of colour options and it feels amazing underfoot. An oiled floor requires more extensive maintenance than a polyurethane floor. We always provide a maintenance guide with each floor so that you understand the best way to your floor looking beautiful.

Colours



Aoraki 01



Cardrona 02



Kaituna 03



Fairy Falls 24



Abel Tasman 04



Tasman Glacier 10



Mt Ruapehu 22



Golden Bay 05



Mt Difficulty 06



Kakapo 23



Koromiko 09



Te Paki Sands 07



Karapiro 17



Stony Bay 21



Tarawera 19



Tara Iti 16



Raglan 11



Muriwai 08



Fiordland 18



Moeraki 12



Ka Pai 15



Kauri Cliffs 20



Lion Rock 13



Iron Sands 14

Jacobsen® |  **BESPOKE**
TIMBER COATINGS

Talk to one of our experts, or visit our website:

0800 800 460 | customer.services@jacobsen.co.nz | jacobsen.co.nz

