Jacobsen®



Laminate Stair Nosing

JACOBSEN ORDER FORM

Order details

COMPANY NAME

CONTACT PERSON

ORDER DATE

CONTACT PHONE NUMBER

ORDER NUMBER / JOB REFERENCE

CONTACT EMAIL

DATE REQUIRED

ACCOUNTS EMAIL (if different from above)

DISPATCH INSTRUCTIONS

Please note: Your accessories will be delivered by default with your Laminate order unless otherwise stated.

- [ ] We will collect
- [ ] Delivery to site (freight charges apply)

DELIVERY ADDRESS

SPECIAL ORDER INSTRUCTIONS* OR COMMENTS

*Please send purchase order or any drawing or information specific to this order along with this order form.

Stairnosing detail

QTY AND LENGTH DETAILS – PLEASE READ BEFORE FILLING IN

- If you need any optional extras,please indicate this in the comments box. Optional extras include:
    - Top Step Detail
    - End Cap
    - Mitred Corners
    - LED Lighting
    - Inserts
- If selecting **End Cap or Mitred Corners**, please specify Left-Hand Side (LHS) or Right-Hand Side (RHS) — this is based on looking up from the bottom of the stairs.
- We reccomend **adding 100 mm to each nosing** so it can be trimmed on site for a perfect fit.
- If you have any **custom requests**, just add in the comments section below — we're happy to help bring it to life.
- Our top step details are very popular and sometime cause confusion when ordering. If you would like to order multiple nosings, and 1 with a top step detail, you need to indicate this in the details below.

THE FINER DETAILS

- *Each stair nosing is manufactured out of a single board so that the timber grain wraps seamlessly around the step, giving the look of a solid timber tread*
- *Board selection is important. If you are unsure, send additional material, we will select the best boards and return any unused planks*
- *Always order nosings 100 mm oversized so they can be trimmed on-site to fit perfectly*
- *We will aris, colour match and seal the top edge for a flawless finish*
- *Bottom edge (if applicable is colour-matched)*
- *Any leftover material will be sent to you along with your trims*

MATERIAL DESCRIPTION

Include board thickness, width and length, supplier and colour.

MATERIAL DELIVERY DATE

COMMENTS OR ADDITIONAL INFORMATION

Standard stair nosing

A clean, classic profile — made to fit your stairs perfectly. This is one of our most commonly requested stair nosing styles, featuring a crisp 90-degree angle for a sharp, modern look. We add a fine aris to the top and bottom edges for a refined, finished feel.

ORDER INFORMATION REQUIRED:

Top Face Dimension (A) – mm		Tongue or Groove on the Top Face	
Front Face Dimension (B) – mm			
Qty and lengths of nosings required			

Return stair nosing

A clean finish, even from underneath. The perfect solution for open or exposed staircases, return nosings provide a seamless finish when the underside of the tread is visible — ideal for floating or large stair flights.



ORDER INFORMATION REQUIRED:

Top Face Dimension (A) – mm		Return Face Dimension (C) - mm	
Front Face Dimension (B) – mm		Tongue or Groove on the Top Face	
Qty and lengths of nosings required			

Waterfall stair nosing

Ideal for commercial staircases where both visibility and safety matter. This design allows for a continuous timber grain flow down the tread while accommodating rakeback stair construction. It delivers a sleek, architectural finish without compromising on fit or function.



ORDER INFORMATION REQUIRED:

Top Face Dimension (A) – mm		Tongue or Groove on the Top Face	
Front Face Dimension (B) – mm			
Qty and lengths of nosings required			

Rakeback Waterfall stair nosing

The Rakeback Waterfall combines the clean, modern lines of a waterfall nosing with the angled practicality of a rakeback profile — making it ideal for commercial staircases where both visibility and safety matter.



ORDER INFORMATION REQUIRED:

Top Face Dimension (A) – mm		Internal Angle (D) – degrees	
Front Face Dimension (B) – mm		Tongue or Groove on the Top Face	
Qty and lengths of nosings required			

Single Sided Expansion

Similar in appearance to our Edge Cap, this profile is rebated on one side to allow for movement — making it the ideal choice when finishing edges on floating floor installations. Perfect for open edges, balustrades and level transitions where flexibility is key.



ORDER INFORMATION REQUIRED:

Top Face Dimension (A) – mm	
Qty and lengths of nosings required	

Double Sided Expansion

Featuring a rebate on both edges for situations where expansion is required on both sides — such as between two floating floors. Commonly used as a doorway trim or between rooms, allowing each floor section to move independently while maintaining a neat, low-profile finish.



ORDER INFORMATION REQUIRED:

Top Face Dimension (A) – mm	
Qty and lengths of nosings required	