sbui ab 0) you D ontra \boxtimes

R

NZ & AU Catalogue June 2023

Contents

- 3 Who is Jacobsen?
- 4 Who is Shaw Contract?
- 5 Why Jacobsen chose Shaw Contract
- 6-20 In Stock New Zealand
- 21 Quick Ship products (5-6 week lead time)
- High design for impact with new collection releases
- 50-51 Add some colour and interest for way finding and branding
- 52 Charcoals and greys ideal for a neutral scheme or base build
- 53 Protect your investment with entrance tiles
- 54-63 Resilient options for reception and break out areas
- 64-67 Material health
- 68 Contacts page



WHO IS JACOBSEN?

Jacobsen is a family-owned business passionate about flooring. Our purpose is 'Inspiring Better Spaces for Life' and we are really proud of the role we play in creating spaces with our partners, suppliers and customers.

After 60 years of supplying the New Zealand market with the best, hand-selected flooring products from around the world, we believe that our longevity is a testament to the quality of our products, the strength of our partnerships, and the trust that our customers have placed in us.

SERVICE

We have always been committed to providing outstanding service and technical expertise, so you can trust that we'll provide the guidance and support you need to ensure that you have the right product that is fit for purpose.

WORLD-CLASS PRODUCT

We understand that every space is different, which is why we've partnered with top international brands to bring you an extensive range of flooring solutions suited to New Zealand's climates, building requirements and needs.

BETTER FOR US, AND OUR CHILDREN

We remain committed to upholding the Jacobsen legacy and delivering world-class flooring solutions that are manufactured responsibly and sustainably, products that consider the impact it has on our planet at the time of manufacture and at the end of its life, whilst continuing to exceed our customers' expectations on performance, longevity and design.

WHO IS SHAW CONTRACT?

Shaw Contract designs and manufactures modular carpet, broadloom and resilient products that give foundation to space and support people within it. Our human-centered approach to service combines mind, hand and heart with the goal to make a Smarter Impact for our clients in all that we do. Ours is an optimistic agenda that places power for positive change at scale in all our hands for people and planet. We're headquartered in Cartersville, Georgia with associates and operations all over the world.

BE KNOWLEDGE LED

Being a knowledge-led brand means that when we approach our clients and end-users, we come asking questions so that we can create products and solutions that matter to them.

BE HUMAN-CENTRIC

Floors give foundation to space and support people within it. We have a human-centred approach that combines mind, hand and heart. This approach applies to all areas of our culture, business and operation, and from person to product to planet. We are bigger than who we are and what we make.

BE OPTIMISTIC

A Smarter Impact mindset recognises that everything is connected. As a global organisation, we have the power to make positive change for people and planet. Design is inherently optimistic. Designers dream of a future that doesn't yet exist, and work to bring that future to life. They see a path of opportunity, one where problems can be solved, constraints moved, policies evolved, and behaviour changed.





WHY JACOBSEN CHOSE SHAW CONTRACT?

At Jacobsen, we only partner with the best manufacturers in the world. Which is why we are proud to have represented Shaw Contract products in the New Zealand market for over 15 years. We trust Shaw Contract's superior product design, their innovation and product integrity, and we respect the work they are doing to create a circular economy and their commitment to protecting our environment.

CREATE HEALTHY WORKPLACES FOR YOUR CLIENTS

- Safe, healthy Cradle to Cradle® certified materials
- · Maximum points on Greenstar & WELL certified projects
- · Cost savings utilising global economies of scale
- LokDots reduce slab preparation costs for refurbishments
- LokDots allows installation on green slabs at 100% RH

REDUCE LIFECYCLE OWNERSHIP COSTS

- Lifetime commercial warranty
- Guaranteed take back at end of product lifecycle at no cost
- LokDots allows simple tile replacement and immediate
 occupancy
- No Rules carpet collections with mergeable dye lots allow selective replacement

REDUCE PROJECT COSTS

- VITS system reduces installation costs in occupied spaces
- · Guaranteed take back at end of product lifecycle at no cost

REDUCE PROJECT RISK

- World's largest yarn manufacturer
- World's larget carpet recycler
- Significant In Stock product range available nationally
- Global supply chain to ensure continuity of supply
- Single source flooring provider carpet tile, broadloom and resilient

REDUCE IMPACT

- 100% of Shaw Contract's facilities are carbon neutral
- Shaw Contract is a signatory to the United Nations Global Compact, guiding sustainable sourcing, protecting human rights, environment & anti-corruption standards







COLLECTION: COLOR FRAME | COLOR FORM STYLE: COLOR FRAME 5T081





COLOR FRAME

60.9cm x 60.9cm (24" x 24")

ECOWORX® TILE

610.3 g/m² (18 oz)

39.37/10cm

47.24/10cm

RANDOM

100% SOLUTION DYED

MONOLITHIC, QUARTER

TURN, BRICK, ASHLAR,

COLOR FRAME | COLOR

ECO SOLUTION Q® NYLON

5T081

FORM

TILE

Quirky

STYLE

CODE

COLLECTION

DIMENSIONS

PRODUCT TYPE

FIBRE PRODUCT

BACKING

DYE METHOD

STITCHES

GAUGE

TUFTED WEIGHT

RECOMMENDED

INSTALLATION

81327



Enchanted

81370



Day Dream 81415

IN STOCK

81855

Blaze

81668

Aurora


STYLE: FLAT WEAVE 5T321








STYLE	FLAT WEAVE
CODE	5T321
COLLECTION	COMMUNITY
DIMENSIONS	22.86cm x 91.44cm (9" x 36")
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	678.1 G/M2 (20 OZ)
STITCHES	34/10CM
GAUGE	47.2/10CM
RECOMMENDED INSTALLATION	MONOLITHIC, HERRINGBONE, BRICK, ASHLAR, STAGGER
	ASHLAR, STAGGER



01101




Silver 01535 Silver Oasis

IN STOCK

COLLECTION: DIFFUSE STRATAWORX

STYLE: DIFFUSE 5T430





Magnetic Fields

STYLE	DIFFUSE
CODE	5T430
COLLECTION	DIFFUSE STRATAWORX
DIMENSIONS	60.9cm x 60.9cm (24" x 24")
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	STRATAWORX®
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.49 g/m2 (16 oz)
STITCHES	35.4/10cm
GAUGE	47.2/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM



Train Station 75557

COLLECTION: DIFFUSE + DISPERSE

STYLE: DISPERSE 59576





Magnetic Fields

STYLE	DISPERSE
CODE	59576
COLLECTION	DIFFUSE + DISPERSE
DIMENSIONS	60.9cm x 60.9cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.49 g/m2 (16 oz)
STITCHES	34/10cm
GAUGE	47.2/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM

STYLE: PETO INTRINSIC 42BRX



11



Tarmac N577L

STYLE	PETO INTRINSIC
CODE	42BRX
COLLECTION	PACIFIC
DIMENSIONS	60.9cm x 60.9cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	745.93 g/m2 (22 oz)
STITCHES	31.5/10cm
GAUGE	47.2/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM

IN STOCK

COLLECTION: FLOOR ARCHITECTURE

IN STOCK

STYLE: POURED 5T431







STYLE	POURED
CODE	5T431
COLLECTION	FLOOR ARCHITECTURE
DIMENSIONS	60.9cm x 60.9cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	STRATAWORX®
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.5 g/m2 (16 oz)
STITCHES	33/10cm
GAUGE	47.2/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM



River Rock

06481



Granite


06500




Aggregate

COLLECTION: SPACE WORX

STYLE: SURROUND 5T432





Blue Herring 17481

STYLE	SURROUND
CODE	5T432
COLLECTION	SPACE WORX
DIMENSIONS	60.9cm x 60.9cm (24" x 24")
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	STRATAWORX®
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	508.99 g/m2 (15 oz)
STITCHES	35.43/10cm
GAUGE	47.24/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM



Raven

17505



Limestone 17530

STYLE: KARAMEA 42G8X





STYLE	KARAMEA
CODE	42G8X
COLLECTION	PACIFIC
DIMENSIONS	60.9cm x 60.9cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.51 g/m2 (16 oz)
STITCHES	34.13/10cm
GAUGE	47.24/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM

IN STOCK

STYLE: WAIMEA 42G6W









T298N



IN STOCK

Volcanic S903K

Coal X212T


STYLE	WAIMEA
CODE	42G6W
COLLECTION	PACIFIC
DIMENSIONS	60.9cm x 60.9cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.51 g/m2 (16 oz)
STITCHES	34.73/10cm
GAUGE	47.24/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM



Jacobsen[®] ShawContract[®]

15

STYLE: MURIWAI 42G6X





STYLE	MURIWAI
CODE	42G6X
COLLECTION	PACIFIC
DIMENSIONS	60.9cm x 60.9cm (24" x 24")
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.51 g/m2 (16 oz)
STITCHES	34.73/10cm
GAUGE	47.24/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM

IN STOCK

STYLE: PIHA 42G6V





Silica T297N


Reef S902K

STYLE	РІНА
CODE	42G6V
COLLECTION	PACIFIC
DIMENSIONS	60.9cm x 60.9cm (24" x 24")
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.51 g/m2 (16 oz)
STITCHES	34.73/10cm
GAUGE	47.24/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM

IN STOCK

STYLE: PIHA ECOLOGIX






STYLE	РІНА
CODE	42G6V
COLLECTION	PACIFIC
DIMENSIONS	60.9cm x 60.9cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOLOGIX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	508.6 g/m2 (15 oz)
STITCHES	36.5/10cm
GAUGE	47.2/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM

IN STOCK

STYLE: TAHARUU 42G8T





Bed Rock R111V

STYLE	TAHARUU
CODE	42G8T
COLLECTION	PACIFIC
DIMENSIONS	60.9cm x 60.9cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.51 g/m2 (16 oz)
STITCHES	34.73/10cm
GAUGE	47.24/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM



Clay T404L

COLLECTION: PACIFIC STYLE: TAHARUU ECOLOGIX






Bed Rock R111V

[STYLE	TAHARUU
- [CODE	42G8T
[COLLECTION	PACIFIC
	DIMENSIONS	60.9cm x 60.9cm (24" x 24")
	PRODUCT TYPE	TILE
Γ	FIBRE PRODUCT	ECO SOLUTION Q® NYLON
	BACKING	ECOLOGIX® TILE
	DYE METHOD	100% SOLUTION DYED
ſ	TUFTED WEIGHT	508.6 g/m2 (15 oz)
[STITCHES	36.5/10cm
[GAUGE	47.2/10cm
	RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM

IN STOCK








COLLECTION: WEST ELM + SHAW CONTRACT STYLE: ZEAL 5T488








STYLE	ZEAL
CODE	5T488
COLLECTION	WEST ELM + SHAW CONTRACT
DIMENSIONS	61cm x 61cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q100™ NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	881.5 G/M2 (26 OZ)
STITCHES	28.5/10CM
GAUGE	39.4/10CM
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN,, BRICK, ASHLAR, RANDOM



Flair 87100

Moxie 87535



QUICK SHIP

Gusto 87500



Vibrance

Flourish

87580



87510



Jacobsen[®] ShawContract[®]

23


COLLECTION: WEST ELM + SHAW CONTRACT STYLE: ZEST 5T487








STYLE	ZEST
CODE	5T487
COLLECTION	WEST ELM + SHAW CONTRACT
DIMENSIONS	61cm x 61cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q100™ NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	881.5 G/M2 (26 OZ)
STITCHES	28.5/10CM
GAUGE	39.4/10CM
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN,, BRICK, ASHLAR, RANDOM



Flair

87100


Moxie 87535





QUICK SHIP

Gusto 87500



Vibrance

Flourish

87580



87510




COLLECTION: WEST ELM + SHAW CONTRACT STYLE: SPARK 5T489







STYLE	SPARK
CODE	5T489
COLLECTION	WEST ELM + SHAW CONTRACT
DIMENSIONS	61cm x 61cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q100™ NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	881.5 G/M2 (26 OZ)
STITCHES	28.5/10CM
GAUGE	39.4/10CM
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN,, BRICK, ASHLAR, RANDOM



Flair 87100


Moxie

87535



QUICK SHIP

Gusto 87500




Vibrance 87510


87580





COLLECTION: WEST ELM + SHAW CONTRACT STYLE: CHISEL 5T485





CHISEL

5T485

NYLON

WEST ELM + SHAW CONTRACT

61cm x 61cm (24" x 24") TILE

ECO SOLUTION Q100™

100% SOLUTION DYED

MONOLITHIC, QUARTER

TURN,, BRICK, ASHLAR,

915.5 G/M2 (27 OZ)

28.5/10CM

39.4/10CM

RANDOM

ECOWORX® TILE

STYLE

CODE

COLLECTION

DIMENSIONS

PRODUCT TYPE

FIBRE PRODUCT

BACKING

STITCHES

GAUGE

DYE METHOD

TUFTED WEIGHT

RECOMMENDED INSTALLATION







Granite 84105

Graphite 84580


Slate 84518



Marble 84100

QUICK SHIP

COLLECTION: WEST ELM + SHAW CONTRACT STYLE: STONEWORK 5T484





STYLE


CODE

COLLECTION

DIMENSIONS







QUICK SHIP

Granite 84105

Graphite 84580

Slate 84518



Marble

84100

	(24" x 24")
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q100™ NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	915.5 G/M2 (27 OZ)
STITCHES	28.5/10CM
GAUGE	39.4/10CM
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN,, BRICK, ASHLAR, RANDOM

STONEWORK

WEST ELM + SHAW CONTRACT


61cm x 61cm 0 4/1 ... 0 4/1

5T484



COLLECTION: WEST ELM + SHAW CONTRACT STYLE: GRIT 5T486







STYLE	GRIT
CODE	5T486
COLLECTION	WEST ELM + SHAW CONTRACT
DIMENSIONS	61cm x 61cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q100™ NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	915.5 G/M2 (27 OZ)
STITCHES	28.5/10CM
GAUGE	39.4/10CM
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN,, BRICK, ASHLAR, RANDOM





QUICK SHIP

Granite 84105

Marble 84100


Graphite 84580






COLLECTION: ACCENT

STYLE: ACCENT 5T475





Shell 57800

STYLE	ACCENT
CODE	5T475
COLLECTION	ACCENT
DIMENSIONS	61cm x 61cm (24" x 24")
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q [™] NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.5 G/M2 (16 OZ)
STITCHES	33/10CM
GAUGE	47.2/10CM
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN,, BRICK, ASHLAR, RANDOM





Tiger's Eye 57679

Peridot

Carnelian

57880

Azure 57496

57316

Terracotta 57675



57866

Jasper 57497



Blue 57462



Burgundy

06850


Mesa


57713

Sea Glass 57396



STYLE: HEDDLE 5T320





HEDDLE

5T320

TILE

COMMUNITY

22.86cm x 91.44cm (9" x 36")

ECOWORX® TILE

34/10CM

47.2/10CM

MONOLITHIC,

HERRINGBONE, BRICK, ASHLAR, STAGGER

100% SOLUTION DYED 678.1 G/M2 (20 OZ)

ECO SOLUTION Q® NYLON

STYLE

CODE

COLLECTION

DIMENSIONS

PRODUCT TYPE

FIBRE PRODUCT

BACKING

GAUGE

DYE METHOD

TUFTED WEIGHT STITCHES

RECOMMENDED

INSTALLATION





Crafted

01580



QUICK SHIP

Silver 01535



Medina 01505

Wool 01105

STYLE: FLAT WEAVE 5T321





Argan 01100

STYLE	FLAT WEAVE
CODE	5T321
COLLECTION	COMMUNITY
DIMENSIONS	22.86cm x 91.44cm (9" x 36")
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	678.1 G/M2 (20 OZ)
STITCHES	34/10CM
GAUGE	47.2/10CM
RECOMMENDED INSTALLATION	MONOLITHIC, HERRINGBONE, BRICK, ASHLAR, STAGGER



Wool 01105

Souk Mosaic

01501

Riad

01518





Argan Earth 01101

Souk

01500


Medina

01506

01535

Tangerine

Wool Saffron 01106



Medina 01505



Riad Marjorelle 01519



Silver Oasis


STYLE: FLAT WEAVE 5T321







STYLE	FLAT WEAVE
CODE	5T321
COLLECTION	COMMUNITY
DIMENSIONS	22.86cm x 91.44cm (9" x 36")
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	678.1 G/M2 (20 OZ)
STITCHES	34/10CM
GAUGE	47.2/10CM
RECOMMENDED INSTALLATION	MONOLITHIC, HERRINGBONE, BRICK, ASHLAR, STAGGER





QUICK SHIP

Blended Sky 01556


Henna

01585

Crafted Clay 01581




Henna Glaze 01586




Crafted

01580

COLLECTION: COMMUNITY STYLE: BACK WEAVE 5T303







	Wool	Crafted
11		
1		
22		

01580




QUICK SHIP

Silver 01535



Medina 01505

01105






STYLE: EXCHANGE 5T304








STYLE	EXCHANGE
CODE	5T3O4
COLLECTION	COMMUNITY
DIMENSIONS	45.72cm x 91.44cm (18" x 36")
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	949.4 g/m2 (28 oz)
STITCHES	38/10CM
GAUGE	39.4/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, HERRINGBONE, BRICK, ASHLAR, STAGGER, BASKETWEAVE, HALF BASKETWEAVE



01580



Silver 01535




Medina

01105



STYLE: PROCESS 5T302






Argan 01100

STYLE	PROCESS
CODE	5T302
COLLECTION	COMMUNITY
DIMENSIONS	45.72cm x 91.44cm (18" x 36")
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	949.4 g/m2 (28 oz)
STITCHES	38/10CM
GAUGE	39.4/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, HERRINGBONE, BRICK, ASHLAR, STAGGER, BASKETWEAVE, HALF BASKETWEAVE



Crafted

01580



QUICK SHIP

Silver 01535




Medina 01505

Wool 01105



COLLECTION: COMMUNITY STYLE: KNOTTED 5T301







Silver 01535

QUICK SHIP

COLLECTION: HAVEN STYLE: NEST 5T238





Rainstorm 35535

Greige 35516

STYLE	NEST
CODE	5T238
COLLECTION	HAVEN
DIMENSIONS	22.86cm x 91.44cm (9" x 36")
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	813.8 g/m2 (24 oz)
STITCHES	38.5/10cm
GAUGE	47.2/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, HERRINGBONE, BRICK, ASHLAR, STAGGER

COLLECTION: HAVEN

STYLE: SHELTER 5T240





38516








QUICK SHIP

Rainstorm 38535

38327

Apricot 38675

lvy 38375





Rosewood 38870

STYLE	SHELTER
CODE	5T240
COLLECTION	HAVEN
DIMENSIONS	22.86cm x 91.44cm (9″ x 36″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	746 g/m2 (22 oz)
STITCHES	32/10cm
GAUGE	47.2/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, HERRINGBONE, BRICK, ASHLAR, STAGGER



COLLECTION: HAVEN

STYLE: FAMILIAR 5T235






Greige 35516

STYLE	FAMILIAR
CODE	5T235
COLLECTION	HAVEN
DIMENSIONS	22.86cm x 91.44cm (9″ x 36″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	949.4 g/m2 (28 oz)
STITCHES	34/10cm
GAUGE	39.4/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, HERRINGBONE, BRICK, ASHLAR, STAGGER







Rainstorm 35535

> Mint 35327

Apricot 35675







Overdye

35496




Rosewood 35870


QUICK SHIP

COLLECTION: HAVEN

STYLE: HONEST 5T236











QUICK SHIP


Rainstorm 35535

Mint

35327

Apricot 35675

Overdye 35496 **lvy** 35375





Rosewood 35870

Greige 35516

STYLE	HONEST
CODE	5T236
COLLECTION	HAVEN
DIMENSIONS	22.86cm x 91.44cm (9" x 36")
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	881.6 g/m2 (22 oz)
STITCHES	32.5/10cm
GAUGE	39.4/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, HERRINGBONE, BRICK, ASHLAR, STAGGER




QUICK SHIP

COLLECTION: HAVEN STYLE: IDENTITY 5T237







Rainstorm 35535

Greige 35516

STYLE	IDENTITY
CODE	5T237
COLLECTION	HAVEN
DIMENSIONS	22.86cm x 91.44cm (9" x 36")
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	881.6 g/m2 (22 oz)
STITCHES	32.5/10cm
GAUGE	39.4/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, HERRINGBONE, BRICK, ASHLAR, STAGGER

COLLECTION: DYE LAB

STYLE: DYE LAB 5T041





Indigo 41496

STYLE	DYE LAB
CODE	5TO41
COLLECTION	DYE LAB
DIMENSIONS	60.9cm x 60.9cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% PIECE DYED
TUFTED WEIGHT	1220.61 g/m2 (36 oz)
STITCHES	43.31/10cm
GAUGE	39.37/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM



Cornflower

41480

Woad

41497

41202

Lac 41762



Henna

41535




Sumac 41504



Fustic Wood



Fustic Saxon 41396



Osage Orange



41665

41855

Sandalwood

41316

Beet

Beet 41890






Madder Root 41864

COLLECTION: DYE LAB


STYLE: DYE LAB 5T041





Henna 41535

STYLE	DYE LAB
CODE	5TO41
COLLECTION	DYE LAB
DIMENSIONS	60.9cm x 60.9cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% PIECE DYED
TUFTED WEIGHT	1220.61 g/m2 (36 oz)
STITCHES	43.31/10cm
GAUGE	39.37/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM



Cornflower

Black Tea

41516

41480



QUICK SHIP


lris 41965






Henna 41535

41580



Knotweed 41491



Black Walnut

Valnut Saxon 41462



Logwood 41505




STYLE: POURED 5T206





Mortar 06530

STYLE	POURED
CODE	5T2O6
COLLECTION	FLOOR ARCHITECTURE
DIMENSIONS	60.9cm x 60.9cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.5 g/m2 (16 oz)
STITCHES	33/10cm
GAUGE	47.2/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM



06481

06595


06761

Mix

06597



Aquamarine



06500

06557


06501

Gypsum

06515



Lapis 06486





Emerald 06335



Limestone 06535



QUICK SHIP

STYLE: LANDFORM 5T449





Aggregate


075/11/5	
STYLE	LANDFORM
CODE	5T449
COLLECTION	FLOOR ARCHITECTURE
DIMENSIONS	61 cm x 61 cm
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.5 g/m²
STITCHES	31.5 per 10 cm
GAUGE	47.2 per 10 cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM





QUICK SHIP

Granite 06500



06101

06481



Mortar 06530



06595

06555



Silt 06518

lt 518

QUICK SHIP


STYLE: BISECT 5T448





Aggregate

STYLE	BISECT
CODE	5T448
COLLECTION	FLOOR ARCHITECTURE
DIMENSIONS	61 cm x 61 cm
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.5 g/m²
STITCHES	31.5 per 10 cm
GAUGE	47.2 per 10 cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM



06485

Marble

River Rock

06481

06101



Granite 06500





06100


06595

Sediment

06555



Mortar 06530






Silt

06518



COLLECTION: FLOOR ARCHITECTURE STYLE: STEPPE 5T447





```
Aggregate
```

STYLE	STEPPE
CODE	5T447
COLLECTION	FLOOR ARCHITECTURE
DIMENSIONS	23 cm x 91 cm
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.5 g/m²
STITCHES	31.5 per 10 cm
GAUGE	47.2 per 10 cm
RECOMMENDED INSTALLATION	MONOLITHIC, BRICK, ASHLAR, HERRINGBONE, STAGGER



QUICK SHIP

47

QUICK SHIP

STYLE: RIDGE 5T446





Aggregate 06501

STYLE	RIDGE
CODE	5T446
COLLECTION	FLOOR ARCHITECTURE
DIMENSIONS	23 cm x 91 cm
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.5 g/m²
STITCHES	31.5 per 10 cm
GAUGE	47.2 per 10 cm
RECOMMENDED INSTALLATION	MONOLITHIC, BRICK, ASHLAR, HERRINGBONE, STAGGER



06485


06101

06481





Granite 06500



06100

06595

06555



Mortar 06530





Silt 06518

COLLECTION: KINDRED

STYLE: BELONG 5T261





Solace 48485

STYLE	BELONG
CODE	5T261
COLLECTION	KINDRED
DIMENSIONS	60.9cm x 60.9cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	610.3 g/m² (18 oz)
STITCHES	35.0/10 cm
GAUGE	39.4/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM

QUICK SHIP

COLLECTION: COLOR FRAME | COLOR FORM STYLE: COLOR FRAME 5T081





Glowing

81211





Frolic 81284 **Tricky** 81323



Hyper Green 81326


Imagine

Inspire

81405

81375





Charming 81429



Hyper Blue 81436




COLLECTION: COLOR FRAME | COLOR FORM STYLE: COLOR FRAME 5T081






COLLECTION: DIFFUSE + DISPERSE

STYLE: DIFFUSE 59575





Magnetic Fields

STYLE	DIFFUSE
CODE	59575
COLLECTION	DIFFUSE + DISPERSE
DIMENSIONS	60.9cm x 60.9cm (24″ x 24″)
PRODUCT TYPE	TILE
FIBRE PRODUCT	ECO SOLUTION Q® NYLON
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	542.49 g/m2 (16 oz)
STITCHES	35.4/10cm
GAUGE	47.2/10cm
RECOMMENDED INSTALLATION	MONOLITHIC, QUARTER TURN, BRICK, ASHLAR, RANDOM

QUICK SHIP

COLLECTION: STEPPIN OUT STYLE: WELCOME II 5T031 (ENTRANCE MAT)





Charcoal 31549


STYLE	WELCOME II
CODE	5T031
COLLECTION	STEPPIN OUT
DIMENSIONS	60.9cm x 60.9cm (24" x 24")
PRODUCT TYPE	TILE
FIBRE PRODUCT	PET POLYESTER
BACKING	ECOWORX® TILE
DYE METHOD	100% SOLUTION DYED
TUFTED WEIGHT	1661.4 g/m2 (49 oz)
STITCHES	36/10cm
GAUGE	47.2/10cm
RECOMMENDED INSTALLATION	QUARTER TURN

QUICK SHIP

-Ø 14 TP II 9 2 w = INTERVIEW. 08 Di lá 2 6 * --ANP RESILIENT

COLLECTION: NORDIC LVT

STYLE: NORDIC 4377V









QUICK SHIP

Natural 77101

Honey 77103

Alder 77104






Driftwood 77120

Aspen 77100

STYLE	NORDIC
CODE	4377V
COLLECTION	NORDIC
DIMENSIONS	18 cm x 122 cm
CONSTRUCTION	Heavy Commercial Luxury Vinyl Tile With Fiberglass
OVERALL THICKNESS	5 mm (0.197″)
WEAR LAYER THICKNESS	22 mil (0.022 in)
INSTALLATION	Direct Glue Or Perimeter Glue
FINISH	ExoGuard+™

COLLECTION: NORDIC LVT

STYLE: NORDIC 4377V







Fir

77155

Birch

77140



QUICK SHIP

Radiant 77710







Balance

Golden 77756

STYLE	NORDIC
CODE	4377V
COLLECTION	NORDIC
DIMENSIONS	18 cm x 122 cm
CONSTRUCTION	Heavy Commercial Luxury Vinyl Tile With Fiberglass
OVERALL THICKNESS	5 mm (0.197")
WEAR LAYER THICKNESS	22 mil (0.022 in)
INSTALLATION	Direct Glue Or Perimeter Glue
FINISH	ExoGuard+™

COLLECTION: ABIDE LVT STYLE: ABIDE 4107V





ABIDE

4107V


VINYL TILE

2.5 mm

ExoGuard+™

GLUE DOWN

COLLECTION: ABIDE LVT STYLE: ABIDE 4107V





ABIDE

4107V

ABIDE & INHABIT

18 cm x 122 cm COMMERCIAL LUXURY

CLASS III, TYPE B

VINYL TILE

2.5 mm

ExoGuard+™

GLUE DOWN

CODE

COLLECTION

DIMENSIONS

FINISH

INSTALLATION

CONSTRUCTION

CLASS/ASTM 1700

OVERALL THICKNESS







Palomino Oak 07660 07720

Chocolate **Coriander Oak** Walnut 07760

QUICK SHIP

COLLECTION: CONCRETE + COMPOSED

STYLE: CONCRETE 094UV





Forged Concrete

STYLE	CONCRETE
CODE	094UV
COLLECTION	CONCRETE + COMPOSED
DIMENSIONS	46.99 cm x 61.01 cm (18.5" x 24.02")
CONSTRUCTION	COREtec with XRC
ATTACHED UNDERLAYMENT	CORK
OVERALL THICKNESS	5.5 mm (0.216")
FINISH	ExoGuard™
WEAR LAYER THICKNESS	20 mil or 0.020 (0.5 mm)
INSTALLATION	FLOATING OR GLUE DOWN




Misty Quartz 03501



Tempered Concrete 03502

COLLECTION: CONCRETE + COMPOSED

STYLE: COMPOSED 098UV





QUICK SHIP

Spice 00720






Grand Teton

Orchard 00103

COLLECTION: RETHINK LVT

STYLE: RETHINK 0733V






Metal

33530

COLLECTION: SOLITUDE LVT

STYLE: SOLITUDE 0648V



62



Cocoa 0648V 48103

STYLE	SOLITUDE
CODE	0648V
COLLECTION	SOLITUDE
DIMENSIONS	15.24 cm x 121.92 cm
CONSTRUCTION	LUXURY VINYL TILE WITH FIBREGLASS
CLASS/ASTM 1700	CLASS III, TYPE B
OVERALL THICKNESS	5.0 mm
FINISH	ExoGuard™
WEAR LAYER THICKNESS	20 mil or 0.020 (0.5 mm)
INSTALLATION	GLUE DOWN



Smoke 0648V 48506

Natural 0648V 48250



Umber

0648V 48761

0648V 48120



QUICK SHIP

Char 0648V 48549








Woodland 0648V 48760



Urban Ash 0648V 48540

COLLECTION: COMPOUND + CAST LVT

STYLE: COMPOUND 4074V





COMPOUND

61 cm x 61 cm

COMPOUND + CAST

HEAVY COMMERCIAL LUXURY VINYL TILE

20 mil or 0.020 (0.51 mm)

CLASS III, TYPE B

2.5 mm

ExoGuard+™

GLUE DOWN

4074V



QUICK SHIP

Threshold 77515 Elevate

Chisel 77520



Base 77504

Jacobsen[®] ShawContract[®]

63

CRADLE TO CRADLE® DESIGN

SHAW CONTRACT ECOWORX CARPET TILES UTILISE THE CRADLE TO CRADLE DESIGN PHILOSOPHY TO MAXIMISE MATERIAL VALUE WHILE ELIMINATING WASTE




Material Health

The framework and assessment process to ensure that a product is made from ingredients that are safe and healthy to humans and the environment



Material Reutilisation (Product Circularity)

The component that requires a product to use recycled content and be designed to be recycled



Renewable Energy & Carbon Management

The expectation to use sources of clean, renuable energy to manufacture products and to reduce energy use overall



Water Stewardship

The principle that water is a precious global resource that must be protected



Social Fairness

The pillar that ensures business operations are designed to honour and respect all people and nature

INNOVATIVE PRODUCTS Lok & Dots




LokDots vs. Glue



DRY ADHESIVE DOTS APPLIED TO ECOWORX[®] TILE BACKING WITH HANDHELD APPLICATOR

LokDots is a pressure sensitive adhesive for the installation of EcoWorx[®] carpet tile. This odourless system provides an alternative to wet adhesive, virtually eliminating the issue of Volatile Organic Compounds (VOCs), and providing ease and versatility of installation.

- Odourless, moisture tolerant and easy to install
- LokDots allows installation on green slabs at 100% RH
- Ideal for installation in occupied space
- Shaw Contract carpet tile installed with LokDots are moveable, 100% recyclable, and offer guaranteed reclamation and recycling



THIRD PARTY CERTIFICATIONS













INTERNATIONAL WELL BUILDING INSTITUTE™

Declare

ECOWORX & ECOLOGIX ENVIRONMENTAL GUARANTEE



GUARANTEED RECLAMATION & RECYCLING. WE WANT IT BACK

Shaw Contract's EcoWorx[®] & Ecologix[®] carpet tiles are now part of our Re.Form programme.

Jacobsen's Re.Form program aims to reduce landfill waste by reusing and recycling flooring materials. Contractors can return materials in reusable condition or Jacobsen will collect and send them back for recycling at no cost to you.

Contact us today to find out more about our Re.Form programme.

CONTACT:

HEAD OFFICE 41D MORRIN ROAD MT WELLINGTON, AUCKLAND 1072 PHONE: (09) 574 0640

PO BOX 28042 REMUERA, AUCKLAND 1541 AUCKLAND DISTRIBUTION CENTRE 41 MORRIN ROAD (2ND DRIVEWAY OFF TAINUI RD) MT WELLINGTON, AUCKLAND 1072 PHONE: (09) 574 0640 WELLINGTON BRANCH OPEN BY APPOINTMENT ONLY 1/23 MARION STREET TE ARO, WELLINGTON 6001 PHONE: (04) 495 4300 CHRISTCHURCH BRANCH OPEN BY APPOINTMENT ONLY 7/142 FERRY ROAD WALTHAM, CHRISTCHURCH 8011 PHONE: (03) 366 4153

CUSTOMER SERVICE AVAILABLE TO SUPPORT FLOORING PROFESSIONALS Phone: (09) 574 0640 Freephone: 0800 800 460

jacobsen.co.nz

JOHN TOLHURST NATIONAL COMMERCIAL SALES MANAGER & HEALTH CARE DEVELOPMENT MANAGER AUCKLAND JOHN.TOLHURST@JACOBSEN.CO.NZ 021 863 831

AMIE BERGHAN A&D RESIDENTIAL SALES AMIE.BERGHAN@JACOBSEN.CO.NZ 021 973 806

CHRIS BEBAN COMMERCIAL SALES CONSULTANT CHRISTCHURCH CHRIS.BEBAN@JACOBSEN.CO.NZ 027 742 5182

CHRIS DICK COMMERCIAL CONTRACTOR MANAGER AUCKLAND CHRIS.DICK@JACOBSEN.CO.NZ 021 628 299

EAMON MCCREESH EDUCATION DEVELOPMENT MANAGER AUCKLAND EAMON.MCCREESH@JACOBSEN.CO.NZ 021 279 1111 HAMISH MORRISON CORPORATE ACCOUNT SALES MANAGER AUCKLAND HAMISH.MORRISON@JACOBSEN.CO.NZ 021 996 011

HOLLY GREEN WORKPLACE DEVELOPMENT MANAGER AUCKLAND HOLLY.GREEN@JACOBSEN.CO.NZ 027 742 5181

JUSTINE WHITE COMMERCIAL SALES CONSULTANT WELLINGTON JUSTINE.WHITE@JACOBSEN.CO.NZ 021 427 088

KIRK SMITH COMMERCIAL SALES CONSULTANT AUCKLAND KIRK.SMITH@JACOBSEN.CO.NZ 021 946 462

KYLIE HAY COMMERCIAL SALES CONSULTANT CHRISTCHURCH KYLIE.HAY@JACOBSEN.CO.NZ 021 960 006 MARK FAULKNER COMMERCIAL TERRITORY MANAGER DUNEDIN, CHRISTCHURCH MARK.FAULKNER@JACOBSEN.CO.NZ 021 644 982

MATT JONES COMMERCIAL TERRITORY MANAGER MANAWATŪ, TARANAKI, HAWKE'S BAY MATT.JONES@JACOBSEN.CO.NZ 021 978 640

RHYS ARROWSMITH COMMERCIAL TERRITORY MANAGER WAIKATO RHYS.ARROWSMITH@JACOBSEN.CO.NZ 027 570 2233