# **EcoWorx® Tile with Nylon Fiber** by Shaw Contract

#### HPD UNIQUE IDENTIFIER: 23196

CLASSIFICATION: 09 68 00 Carpeting

PRODUCT DESCRIPTION: THIS HPD REPRESENTS ALL CARPET TILE STYLES WITH ECOWORX® BACKING AND NYLON FACE FIBER RANGING FROM 14-60 OZ/SY, INCLUDING ECOSOLUTION Q®, SOLUTION Q®, AND SOLUTION Q EXTREME® with or without ES adhesive.

# Section 1: Summary

# CONTENT INVENTORY

- **Inventory Reporting Format**
- C Nested Materials Method
- Basic Method
   A
- Threshold Disclosed Per
- O Material
- O Product

Threshold level C 100 ppm ⊙ 1,000 ppm O Per GHS SDS O Other

C Considered C Partially Considered Not Considered

Explanation(s) provided for Residuals/Impurities? ⊙ Yes ⊖ No

# **Basic Method / Product Threshold**

All Substances Above the Threshold Indicated Are:

○ Yes Ex/SC ⊙ Yes ○ No Characterized % weight and role provided for all substances.

Screened ○ Yes Ex/SC ⊙ Yes ○ No All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ○ Yes ⊙ No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

# CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

# MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

# GREENSCREEN SCORE | HAZARD TYPE

ECOWORX® TILE WITH NYLON FIBER [ CALCIUM CARBONATE LT-UNK ETHENE-1-OCTENE COPOLYMER LT-UNK ALUMINUM TRIHYDRATE (ATH) BM-2 HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-UNK VINYL ACETATE/ETHYLENE COPOLYMER LT-UNK FIBERGLASS LT-UNK QUARTZ (FROM CALCIUM CARBONATE) LT-1 CAN ETHYLENE/HEXANE-1 COPOLYMER LT-UNK NYLON 6 POLYMER LT-UNK NYLON 6,6 POLYMER LT-UNK MODIFIED ACRYLIC BINDER LT-UNK POLY VINYL ALCOHOL LT-UNK RESIN ACIDS AND ROSIN ACIDS, ESTERS WITH TRIETHYLENE GLYCOL LT-UNK TRIDECYL ALCOHOL ETHOXYLATE LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT - 1 | CAN | MUL UNDISCLOSED NoGS ]

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial No

INVENTORY AND SCREENING NOTES:

ALL INGREDIENTS HAVE BEEN SCREENED AGAINST HPD AUTHORITATIVE LISTS, BUT NOT ALL CAS #'S HAVE BEEN DISCLOSED TO PROTECT PROPRIETARY FORMULATIONS.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: Green Label Plus Multi-attribute: Cradle to Cradle™ Certified V3.1 Silver Multi-attribute: NSF-140 Gold

# CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2020-12-17 PUBLISHED DATE: 2020-12-17 EXPIRY DATE: 2023-12-17

# **Health Product Declaration v2.2** created via: HPDC Online Builder

# **Residuals/Impurities**

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ECOWORX® TILE WITH NYLON F	IBER				
PRODUCT THRESHOLD: 1000 ppn	n RESIDUAL	S AND IMPUR	RITIES CONSIDERE	ED: No	
	ES: All ingredients at or above 1000 ppm a are not considered. This is based on inform				
OTHER PRODUCT NOTES:					
CALCIUM CARBONATE					ID: 1317-65-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-12-17	7
%: 22.0000 - 58.0000	GS: LT-UNK	RC: None	NANO: Unknow	wn SUE	BSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
None found			No warnir	ngs found o	on HPD Priority Hazard Lists
SUBSTANCE NOTES: Limeston	e				
ETHENE-1-OCTENE COPOLYM	ER				ID: 26221-73-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-12-17	7
%: 5.0000 - 15.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTA	NCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
None found			No warnir	ngs found o	on HPD Priority Hazard Lists
SUBSTANCE NOTES:					
ALUMINUM TRIHYDRATE (ATH)					ID: 21645-51-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-12-17	7
%: 3.0000 - 8.0000	GS: <b>BM-2</b>	RC: None	NANO: Unknown	SUBSTA	NCE ROLE: Flame retardant
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
None found			No warnir	ngs found o	on HPD Priority Hazard Lists
SUBSTANCE NOTES: Mineral-b	ased Flame Retardant				
HYDROCARBONS, C6-20, POLY	MERS, HYDROGENATED				ID: 69430-35-9
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-12-17	7
%: 2.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: Unknow	n SUBS	STANCE ROLE: Tackifier
oWorx Tile with Nylon Fiber					

EcoWorx Tile with Nylon Fiber hpti056567990588459995884599999 if printed or downloaded.

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		
	NTE (PET)	ID: 25038-59-9
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-12-17
%: 2.0000 - 5.0000	GS: LT-UNK	RC: None NANO: Unknown SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Polyester	(PET)	
VINYL ACETATE/ETHYLENE CO	POLYMER	ID: 24937-78-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-12-17
%: 2.0000 - 5.0000	GS: LT-UNK	RC: None NANO: Unknown SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		
FIBERGLASS		ID: 65997-17-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-12-17
%: 1.0000 - 3.0000	GS: LT-UNK	RC: None NANO: Unknown SUBSTANCE ROLE: Glass component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		
QUARTZ (FROM CALCIUM CAR	BONATE)	ID: 14808-60-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-12-17
%: 0.5000 - 5.0000	GS: <b>LT-1</b>	RC: None NANO: Unknown SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Residual content in natural Limestone; No anticipated route of exposure in finished product

ETHYLENE/HEXANE-1 COPOLY	MER				ID: 25213-02-9
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2020-12-17	
%: 0.1000 - 2.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE	ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	V	WARNINGS		
None found			No warn	ings found on H	IPD Priority Hazard Lists
SUBSTANCE NOTES:					
NYLON 6 POLYMER					ID: 25038-54-4
	Pharos Chemical and Materials Library			0000-12-17	10: 20000 C .
HAZARD SCREENING METHOD: %: 0.0000 - 51.0000	GS: LT-UNK				ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		House e.g.
None found				ings found on H	IPD Priority Hazard Lists
SUBSTANCE NOTES: Nylon 6 -	- EcoSolutionQ contains 25% Pre-consumer	r recycled co	intent; all other fibe	ers - None	
					ID 00404 47
NYLON 6,6 POLYMER					ID: 32131-17-
HAZARD SCREENING METHOD: %: 0.0000 - 50.0000	GS: LT-UNK				DOLE Bolymor specie
		KC: NONe	NANU: UIIKIIOWII	SOROLWIOL	ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	V	WARNINGS		
None found			No warn	ings found on H	IPD Priority Hazard Lists
SUBSTANCE NOTES: Nylon 6,6	3				

MODIFIED ACRYLIC BINDER				ID: 61467-52-5	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE: 202	20-12-17	
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
None found		No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES:					
POLY VINYL ALCOHOL				ID: 9002-89-5	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE: 202	20-12-17	
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Surfactant	
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:					
RESIN ACIDS AND ROSIN ACIDS GLYCOL	S, ESTERS WITH TRIETHYLENE			ID: 8050-25-7	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE: 202	20-12-17	
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Tackifier	
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:					
TRIDECYL ALCOHOL ETHOXYL	ATE			ID: 78330-21-9	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE: 202	20-12-17	
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Surfactant	
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:					
UNDISCLOSED				ID: 8050-31-5	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE: 202	20-12-17	
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Tackifier	
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists	

# UNDISCLOSED

UNDISCEUSED				
HAZARD SCREENING METHOD:	Toxnot Chemical Hazard Screening Library	HAZARD SC	REENING DATE: 2	020-12-17
%: 0.0000 - 1.0000	GS: <b>LT - 1</b>	RC: None	NANO: Unknown	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
CANCER	Australia - GHS	Carcir	ogenicity – category	/1B
CANCER	Australia - GHS	Acute	toxicity - category 4	k
CANCER	Australia - GHS	H350		
CANCER	Australia - GHS	Skin ir	ritation – category 2	
CANCER	Australia - GHS	Reproductive toxicity – category 2		
CANCER	EU - Annex VI CMRs	Carc.	1B	
CANCER	EU - GHS (H-Statements)	H350		
CANCER	EU - REACH Annex XVII CMRs	Entry 2 2 (Tab	•	category 1B (Table 3.1)/category
MULTIPLE	ChemSec - SIN List	1272/2	2008. (Might not app	to Annex VI of Regulation ly when contaminants are below d/or full refining history is known)
MULTIPLE	German FEA - Substances Hazardous to Waters	3		
SUBSTANCE NOTES: Parafinnic	c Hydrocarbons; No anticipated route of exposi	ure in finished	product	
UNDISCLOSED				
HAZARD SCREENING METHOD:	Toxnot Chemical Hazard Screening Library	HAZARD SC	REENING DATE: 2	020-12-17
%: <b>0.0000 - 0.1250</b>	GS: NoGS	RC: None	NANO: Unknown	SUBSTANCE ROLE: Antistain
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings fo	und on HPD Priority Hazard Lists
SUBSTANCE NOTES: Acordic Co	opolumer			

SUBSTANCE NOTES: Acrylic Copolymer

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Green Label Plus		
CERTIFYING PARTY: Carpet & Rug Institute APPLICABLE FACILITIES: Cartersville, GA; Adairsville, GA CERTIFICATE URL: https://services.carpet- rug.org/api/GLPCertificate/9968	ISSUE DATE: 2004-06- 15	EXPIRY DATE: 2021- 09-30	CERTIFIER OR LAB: UL lab
CERTIFICATION AND COMPLIANCE NOTES: GLP9968: 14X	Pre-dyed Nylon with Amor	rphous Resin Backing	
MULTI-ATTRIBUTE	Cradle to Cradle™ Cert	ified V3.1 Silver	
CERTIFYING PARTY: McDonough Braungart Design Chemistry (MBDC) APPLICABLE FACILITIES: Cartersville, GA; Adairsville, GA CERTIFICATE URL: https://qmsview.shawinc.com/viewer/doc/4475 CERTIFICATION AND COMPLIANCE NOTES: Achieved V3.1	ISSUE DATE: 2019-07- 09	EXPIRY DATE: 2021- 08-18	CERTIFIER OR LAB: Cradle to Cradle™ Products Innovation Institute
MULTI-ATTRIBUTE	NSF-140 Gold		
CERTIFYING PARTY: SCS Global Services APPLICABLE FACILITIES: Cartersville, GA; Adairsville, GA CERTIFICATE URL: https://qmsview.shawinc.com/viewer/doc/4532	ISSUE DATE: 2018-12- 01	EXPIRY DATE: 2021- 08-31	CERTIFIER OR LAB: Scientific Certification Systems
CERTIFICATION AND COMPLIANCE NOTES: NSF/ANSI 140	Carpet - Achieved Gold Le	evel Certification (Platinu	n Available)
This section lists related products or materials that the manul maintenance, cleaning, or operations. For information relating Declarations, if available. SHAW 5100 CARPET TILE ADHESIVE	y to the contents of these r		
CONDITION WHEN RECOMMENDED OR REQUIRED AND/O Shaw 5100 Carpet Tile Adhesive is approved for use with Ec Installation: https://www.shawcontract.com/en-us/products/ https://qmsview.shawinc.com/viewer/doc/4484 Green Label	oWorx® Tile installations.		
	Plus Certified: GLP15400		
LOKDOTS® CARPET TILE ADHESIVE			
	HPD URL R OTHER NOTES: Worx® Tile installations. S /technical/installation Crac	https://services.carpet-ru : <b>no hpd available</b> Spec: https://qmsview.sh Ile to Cradle™ Certified V	ig.org/api/GLPCertificate/15400 awinc.com/viewer/doc/4868 3.1 Silver when used in conjunction
LOKDOTS® CARPET TILE ADHESIVE CONDITION WHEN RECOMMENDED OR REQUIRED AND/O LokDots® Carpet Tile Adhesive is approved for use with Eco Installation: https://www.shawcontract.com/en-us/products/	HPD URL R OTHER NOTES: Worx® Tile installations. S /technical/installation Crac https://services.carpet-rug.	https://services.carpet-ru : <b>no hpd available</b> Spec: https://qmsview.sh Ile to Cradle™ Certified V	ig.org/api/GLPCertificate/15400 awinc.com/viewer/doc/4868 3.1 Silver when used in conjunction
LOKDOTS® CARPET TILE ADHESIVE CONDITION WHEN RECOMMENDED OR REQUIRED AND/O LokDots® Carpet Tile Adhesive is approved for use with Eco Installation: https://www.shawcontract.com/en-us/products/ with EcoWorx® Tile. Green Label Plus Certified: GLP91802 h	HPD URL R OTHER NOTES: Worx® Tile installations. S /technical/installation Crac https://services.carpet-rug. HPD URL R OTHER NOTES: oWorx® Tile installations. S /technical/installation Crac	https://services.carpet-ru : no hpd available Spec: https://qmsview.sh dle to Cradle™ Certified V .org/api/GLPCertificate/9 : no hpd available Spec: https://qmsview.sh dle to Cradle™ Certified V	awinc.com/viewer/doc/4868 3.1 Silver when used in conjunction 1802 awinc.com/viewer/doc/3438 3.1 Silver when used in conjunction

# MANUFACTURER INFORMATION

MANUFACTURER: Shaw Contract ADDRESS: 230 Douthit Ferry Road Cartersville GA 30120, United States WEBSITE: https://www.shawcontract.com/en-us CONTACT NAME: Candi Hampton TITLE: Product Sustainability Manager PHONE: 706-532-2127 EMAIL: candi.hampton@shawinc.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

## **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

## **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.